

# MUSCLE & NERVE



Official Journal of the American Association of Electrodiagnostic Medicine

## AUTHOR INDEX TO VOLUME 21

This index lists, in alphabetical order, the names of authors of all articles, abstracts, and book reviews. Full citation is provided under the first author only, with reference made from joint authors. Book reviews are distinguished from articles by the following code B = book review.

### A

- Aarli JA, see Skeie GO
- Abbruzzese M, Reni L, Minatel C, Favale E: Presynaptic and postsynaptic mechanisms underlying H-reflex changes produced by a selective voluntary contraction, 439
- Abdus S, see Vandenborne K
- Abe T, see Kumamoto T
- Abrahamowicz M, see Bartlett G
- Abresch RT, see Wineinger MA
- Absti L, see Antoine J-C
- Adachi K, see Kawai H
- Agostino R, see Cruicu G
- Ahmad BK, see Aurora SK
- Ahmad BK, see Khwaja S
- Akaike M, see Kawai H
- Alam TA, Chaudhry V, Cornblath DR: Electrophysiological studies in the Guillain-Barré Syndrome: Distinguishing subtypes by published criteria, 1275
- Albers JW, see Salerno DF
- Allen GM, McKenzie DK, Gandevia SC: Twitch interpolation of the elbow flexor muscles at high forces, 318
- Al-Lozi M, see Connolly AM
- Al-shubaili AF, Farah SA, Hussein JM, Trontelj JV, Khuraibet AJ: Axonal and demyelinating neuropathy with reversible proximal conduction block, and unusual feature of vitamin B12 deficiency, 1341
- Aminoff MJ: Atlas of Clinical Neurology, 1815-B
- Aminoff MJ: Handbook of Movement Disorders, 1815-B
- Aminoff MJ, Eisen AA: AAEM minimonograph 19: Somatosensory evoked potentials, 277
- Aminoff MJ, see Kraft GH
- Aminoff MJ, see Wilbourn AJ
- Aminoff MJ: Message from the editor, 2
- Amoiridis G, Schols L, Przuntek H, Wohrle J: Collision technique in Marin-Gruber anastomosis, 1354
- Andersen H, Stalberg E, Falck B: Limited value of F waves in monitoring pancreas-transplanted type 1 diabetics (Reply), 1811
- Andersen H, Stålberg E, Gjerstad MD, Jakobsen J: Association of muscle strength and electrophysiological measures of reinnervation in diabetic neuropathy, 1647
- Anderson JE, Garrett K, Moor A, McIntosh L, Penner K: Dystrophy and myogenesis in *mdx* diaphragm muscle, 1153
- Anderson LVB, see Schatzberg SJ
- Andres LP, see Chan KM
- Andres LP, see Chan MK
- Andriulli A, see Annese V
- Angelini C, Fanin M, Menegazzo E, Freda MP, Duggan DJ, Hoffman EP: Homozygous  $\alpha$ -sarcoglycan mutation in two siblings: One asymptomatic and one steroid-responsive mild limb-girdle muscular dystrophy patient, 769
- Anlar B, Ozdirim E, Imir T: Lymphocyte acetylcholine receptors in childhood myasthenia, 265
- Annese V, Basciani M, Borrelli O, Leandro G, Simone P, Andriulli A: Intraspinal injection of botulinum toxin is effective in long-term treatment of esophageal achalasia, 1540
- Anthony DC, see Swoboda KJ
- Antoine JC: Paraneoplastic sensory neuropathy demyelinating features, and response to immunotherapy, 1811
- Antoine J-C, Mosnier J-F, Honnorat J, Convers P, Absti L, Lapras J, Michel D: Paraneoplastic demyelinating neuropathy, subacute sensory neuropathy, and anti-hu antibodies: Clinicopathological study of an autopsy case, 850
- Antonini G, Fiori P, Ceschin V, Ceschin V, Gragnani F, Morino S, Salvetti M: Myosin heavy chain class I molecules are normally expressed in myotonic dystrophy, 415
- Aoki R, see Childers MK
- Applegarth D, see Tarnopolsky MA
- Aprile I, see Padua L
- Arányi Z, Mathis J, Hess CW, Rösler KM: Task-dependent facilitation of motor evoked potentials during dynamic and steady muscle contractions, 1309
- Arendt-Nielsen L, see Svensson P
- Argov Z, Taivassalo T, De Stefano N, Genge A, Karpai G, Arnold DL: Intracellular phosphates in inclusion body myositis—A 31P magnetic resonance spectroscopy study, 1523
- Arimura H, see Watanabe O
- Arimura K, see Watanabe O
- Arisato T, see Watanabe O
- Armstrong TJ, see Salerno DF
- Arne-Bes MC, see Fauchoux JM
- Arnold DL, see Argov Z
- Arnold EP, see Links TP
- Asbury AK: The new editor, 1
- Ashby HE, see Cooper RL
- Ashworth NL, Marshall SC, Satkunam LE: The effect of temperature on nerve conduction parameters in carpal tunnel syndrome, 1089
- Asselin I, see Kinoshita I
- Asselin I, see Vilquin J-T, 567
- Assimos DG, see Donofrio PD
- Assmann G, see Stögbauer F
- Auer C, see Siebner HR
- Auger RG: Role of the masseter reflex in the assessment of subacute sensory neuropathy, 800
- Aurora SK, Ahmad BK, Aurora TK: Silent period abnormalities in carpal tunnel syndrome, 1213
- Aurora TK, see Aurora SK
- Authier J, see Bélec L
- Avela J, Komi PV: Interaction between muscle stiffness and stretch reflex sensitivity after long-term stretch-shortening cycle exercise, 1224
- Awisuz F, Wahl B, Meinecke I: Influence of stimulus cross talk on results of the twitch-interpolation technique at the biceps brachii muscle (Reply), 970
- Aydin N, see Ertaş M

### B

- Bader CR, see Magistris MR
- Bado M, see Minetti C
- Bai X-F, see Shi F-D
- Bain JLW, see Riley DA

- Bakshi N, Maselli RA: Absence of F waves in heat stroke, 263
- Baldwin KM, see Roy RR
- Ballesteros RA, see Menkes DL
- Balog EM, see Enzmann NR
- Baran EM, see Kraft GH
- Barbiroli B, see Montagna P
- Barchi RL: Phenotype and genotype in the myotonic disorders, 1119
- Barnett MH, Pollard JD, Davies L, McLeod JG: Cyclosporin A in resistant chronic inflammatory demyelinating polyradiculoneuropathy, 454
- Baroffio A, see Magistris MR
- Barshop BA, see Shelton GD
- Barth PG, see van der Kooi AJ
- Bartlett G, Stewart JD, Tamblyn R, Abrahamowicz M: Normal distributions of thermal and vibration sensory thresholds, 367
- Basciani M, see Anness V
- Baslo A, see Deymeer F
- Baumann N, see Chassande B
- Bélec L, Authier J, Eliezer-Vanerot M-C, Piédouillet C, Mohamed AS, Gheradi RK: Myoglobin as a polymerase chain reaction (PCR) inhibitor: A limitation for PCR from skeletal muscle tissue avoided by the use of *Thermus thermophilus* polymerase, 1064
- Beckmann E, see Walk D
- Beckmann JS, see Kawai H
- Beckmann JS, see Pénilson-Besnier I
- Beltrame F, see Minetti C
- Benedetti MD, see Fabrizi GM
- Bengoufa D, see Chassande B
- Benz S, see Wagner S
- Berardelli A, see Mercuri B
- Berardelli A, see Modugno N
- Berardelli A, see Romeo S
- Berger JR, Gallo B: Chronic inflammatory polyradiculoneuropathy associated with alopecia universalis, 124
- Bergmann I, Dauphin M, Naumann M, Flacheneker P, Müllges, Koltzenburg M, Sommer C: Selective degeneration of sudomotor fibers in Ross syndrome and successful treatment of compensatory hyperhidrosis with botulinum toxin, 1790
- Bergstrom B, see Brill V
- Bernheim L, see Magistris MR
- Bertorini TE, see Siddiqui MF
- Beydoun SR: Multifocal motor neuropathy with conduction block misdiagnosed as multiple entrapment neuropathies, 813
- Bidichandani SI, see Machkhas H
- Bierner SM, Chauplannaz G, Goodenough DJ, Lachman T, Lewis RA, Melvin JL, Myers SJ: AAEM practice topics in electrodiagnostic medicine: Any willing provider position statement, 250
- Bigini P, see Pellegrino M
- Binder-MacLeod SA, Lee SCK, Russ DW, Kucharski LJ: Effects of activation pattern on human skeletal muscle fatigue, 1145
- Bir LS, Kuruoglu HR: Jitter measurement by axonal microstimulation in cervical radiculopathy, 1563
- Bird SJ, see Donofrio PD, see Rich MM
- Bitter RE, see Muellbacher W
- Blanco-Jerez CR, Jiménez-Escrig A, Gobernado JM, Lopez-Calvo S, De Blas G, Redondo C, García Villanueva M, Orensanz L: Transthyretin Tyr77 familial amyloid polyneuropathy: A clinicopathological study of a large kindred, 1478
- Blok RB, see Siregar NC
- Blumenthal D, Schochet S, Gutmana L, Ellis B, Jaynes M, Dalmau J: Small-cell carcinoma of the lung presenting with paraneoplastic peripheral nerve microvasculitis and optic neuropathy, 1358
- Bobet J, Mooney RF, Gordon T: Force and stiffness of old dystrophic (mdx) mouse skeletal muscles, 536
- Bochdanky T, see Ebenbichler GR
- Bock GO, see Vedanarayanan VV
- Bochold KJ, Rosenblatt JD, Partridge TA: Aging normal and dystrophic mouse muscle: Analysis of myogenicity in cultures of living single fibers, 173
- Bodine SC, see Cliffer KD
- Bogan DJ, see Childers MK
- Bolton CF, see Maher J
- Bolton CF, see McKeown JM
- Bonilla E, see Minetti C
- Bonilla E, see Sciacco M
- Booth FW, see Marsh DR
- Borovikov YS, see Szczepanowska J
- Borrelli O, see Anness V
- Bostock H, Cikurel K, Burke D: Invited review: Threshold tracking techniques in the study of human peripheral nerve, 137
- Bostock H, see Mogyoros I
- Botti S, see Pareyson D
- Bouchard J-P, see Etougué-Mayer P
- Bouche P, see Chassande B
- Bouche P, see Le Forestier N
- Bouche P, see Tankéré F
- Bradley WE, see Yang CC
- Bradley WG, see Romano JG
- Bradley WG, Shapshak P, Delgado S, Nagano I, Stewart R, Rocha B: Morphometric analysis of the peripheral neuropathy of AIDS, 1188
- Brandenburg HCR, see Links TP
- Brasil-Neto J, see Valls-Solé J
- Braune S, Hentschel M, Glocker FX, Lücking CH: Involvement of the esophagus in the cramp-fasciculation syndrome, 802
- Brill V, Ellison R, Ngo M, Bergstrom B, Raynard D, Gin H: Electrophysiological monitoring in clinical trials, 1368
- Brill V, see Markson L
- Bromberg MB, Jaros L: Symmetry of normal motor and sensory nerve conduction measurements, 498
- Bromberg MB, see Salerno DF
- Brown SJ, see Day JS
- Brown T, see Chan MK
- Brown W, see Chan MK
- Brown WF, see Chan KM
- Brown WF, see Chang KM
- Brown WF, see Conwit RA
- Brucher J-M, see Operti M-G
- Brussee V, see Vilquin J-T, 567
- Bütefisch CM, Lang DF, Gutmann L: The devastating combination of Charcot-Marie-Tooth disease and facioscapulohumeral muscular dystrophy, 788
- Burke D, see Bostock H
- Burke D, Gandevia SC: Influence of stimulus cross talk on results of the twitch-interpolation technique at the biceps brachii muscle, 970
- Burke D, see Mogyoros I
- Busch HFM, see van der Kooi AJ
- Buschbacher RM: Body mass index effect on common nerve conduction study measures, 1398
- Busing M, see Haupts MR
- Byrne E, see Siregar NC

## C

- Cabezas C, see Duarte J
- Çakirkaya S, see Deymeer F
- Celik M, see Elez F
- Campbell WW, Vasconcelos O, Laine FJ: Case of the month: Focal atrophy of the multifidus muscle in lumbosacral radiculopathy, 1350
- Campbell WW: Reply by Dr. Campbell to inching techniques are of limited use, 1559
- Campbell WW: The value of inching techniques in the diagnosis of focal nerve lesions: Inching is a useful technique, 1554
- Campellone JV, Lacomis D: Needle Muscle Biopsy, 1562
- Campellone JV, Lacomis D, Giuliani MJ, Kramer DJ: Mononeuropathies associated with liver transplantation, 896
- Campero M, Serra J, Marchettini P, Ochoa JL: Ectopic impulse generation and autoexcitation in a single myelinated afferent fibers in patients with peripheral neuropathy and positive sensory symptoms, 1661
- Carraro U, see Midrio
- Carson SR, see Cliffer KD
- Carter GT, see Willick SE
- Casali C, see Santorelli FM
- Cass RM, see Orrell RW
- Castilla JM, see Murga L
- Castro MJ, Kent-Braun JA, Miller RG, Dudley GA: Muscle fiber type-specific myofibrillar actomyosin  $Ca^{2+}$  ATPase activity in multiple sclerosis, 547
- Catani C, see Midrio
- Cavallaro T, see Fabrizi GM
- Caviedes R, see Liberona JL
- Cavnor C, see Cliffer KD
- Ceschin V, see Antonini G
- Cevoli S, see Liguori R
- Cha CI, see Sung JJ
- Chamberlain J, see Kinoshita I
- Chan KM, Andres LP, Polykovskaya Y, Brown WF: Dissociation of the electrical

- and contractile properties in single human motor units during fatigue, 1786
- Chan KM, Nasathurai S, Chavin JM, Brown WF: The usefulness of central motor conduction studies in the localization of cord involvement in cervical spondylitic myelopathy, 1220
- Chan KM, Stashuk DW, Brown WF: A longitudinal study of the pathophysiological changes in single human thenar motor units in amyotrophic lateral sclerosis, 1714
- Chan MK, Doherty TJ, Andres LP, Porter MM, Brown T, Brown WF: Longitudinal study of the contractile and electrical properties of single human thenar motor units, 839
- Chan T-P, see Schwartz MS
- Chance PF, see Gossett JG
- Chang AP, England JD, Garcia CA, Sumner AJ: Case of the month: Focal conduction block in n-hexane polyneuropathy, 964
- Chang Y-J, see Shields RK
- Chassande B, Léger J-M, Younes-Chennoufi AB, Bengoufa D, Maisonneuve T, Bouche P, Baumann N: Peripheral neuropathy associated with IgM monoclonal gammopathy: Correlations between M-protein antibody activity and clinical/electrophysiological features in 40 cases, 55
- Chaudhry V, see Alam TA
- Chauplannaz G, see Bierner SM
- Chavin JM, see Chan KM
- Chen E, see Podell M
- Cheng K-S, Lin T-S
- Cheng TJ, see Lin T-S
- Cherington M: Clinical spectrum of botulism, 701
- Chaundhry V: Neuroselective current perception threshold electrodiagnostic sensory test (Reply), 1810
- Child RB, see Day JS
- Childers MK, Kornegay JN, Aoki R, Otaviani L, Bogan DJ, Petroski G: Evaluating motor end-plate-targeted injections of botulinum toxin type A in a canine model, 653
- Chino N, see Izumi S-I
- Chisari C, D'Alessandro C, Manca ML, Rossi B: Sarcolemmal excitability in myotonic dystrophy: Assessment through surface EMG, 543
- Choi YM, see Sung J-J
- Chokrovery S, see Sander HW
- Christova P, see Kossev AR
- Chung J-M, see Sung J-J
- Ciano C, see Pareyson D
- Cikurel K, see Bostock H
- Cioni R, see Mondelli M
- Cisari C, see Merletti R
- Claes G, see Rex L
- Clark K, see Samii A
- Claussen GC, see Kim DS
- Claussen GC, see Oh S
- Claveria LE, see Duarte J
- Clérin M, see Deltombe T
- Clifford KD, Tonra JR, Carson SR, Radley HE, Cavnor C, Lindsay RM, Bodine SC, DiStefano PS: Consistent repeated M- and H-wave recording in the hind limb of rats, 1405
- Cohen JA, Jeffers BW, Faldut D, Marcoux M, Schrier RW: Risks for sensorimotor peripheral neuropathy and autonomic neuropathy in non-insulin-dependent diabetes mellitus (NIDDM), 72
- Cohen RP: Neuroselective current perception threshold electrodiagnostic sensory test, 1810
- Connolly AM, Pestronk A, Mehta S, Al-Lozi M: Primary  $\alpha$ -sarcoglycan deficiency responsive to immunosuppression over three years, 1549
- Conrad B, see Siebner HR
- Conte L, see Merletti R
- Convers P, see Antoine J-C
- Conway SR, see Felice KJ
- Conwit RA, Tracy B, Cowl A, McHugh M, Stashuk D, Brown WF, Metter EJ: Firing rate analysis using decomposition-enhanced spike triggered averaging in the quadriceps femoris, 1338
- Cooper RL, Warren WM, Ashby HE: Activity of phasic motor neurons partially transforms the neuronal and muscle phenotype to a tonic-like state, 921
- Cordone G, see Minetti C
- Cornblath DR, see Alam TA
- Cornu C, Goubel F, Fardeau M: Stiffness of knee extensors in Duchenne muscular dystrophy, 1772
- Cortelli P, see Montagna P
- Costas PD, Sabin TD, Wang K-K, Jones DS, Seckel BR: Transcutaneous access to retrograde axonal flow, 531
- Costas PD, Sabin TD, Wank K-K, Jones DS, Seckel BR: Transcutaneous access to retrograde axonal flow, 531
- Costill DL, see Riley DA
- Coutsopetras P, see Mitsikostas DD
- Cowl A, see Conwit RA
- Creel GB, Giuliani MSJ, Lacomis D, Holbach SM: Oculopharyngeal muscular dystrophy: Non-French-Canadian pedigrees, 816
- Crucchi G, Agostino R, Inghilleri M, Innocenti P, Romaniello A, Manfredi M: Mandibular nerve involvement in diabetic polyneuropathy and chronic inflammatory demyelinating polyneuropathy, 1673
- D**
- D'Alessandro C, see Chisari C
- Dahl K, see Simonetti S
- Dalakas MC, see Koffman BM
- Dalakas MC, see Samii A
- Dalmay J, see Blumenthal D
- Dambrosia JM, see Samii A
- Danieli-Betto D, see Midrio M
- Date ES, see Wu PB
- Dauphin M, see Bergmann I
- Davey NJ, see Stedman A
- David WS, Sharif AA: Clozapine-induced myokymia, 827
- Davies L, see Barnett MH
- Davies L, see Mohamed A
- Day JS, Donnelly AE, Brown SJ, Child RB: Electromyogram activity and mean power frequency in exercise-damaged human muscle, 961
- De Blas G, see Blanco-Jerez CR
- de Carvalho M, Swash M: Fasciculation potentials: A study of amyotrophic lateral sclerosis and other neurogenic disorders, 336
- de Carvalho VC, see Neto HS
- de Jager AEJ, see ter Brugge JP
- de Jager AEJ, van der Vliet TM, van der Ree TC, Oosterink BJ, Loonen MCB: Muscle computed tomography in adult-onset acid maltase deficiency, 398
- de Jongh R, see Ivanyi B
- De Stefano N, see Argov Z
- de Visser M, see Ivanyi B
- de Visser M, see van der Kooij AJ
- Del Giudice E, see Santoro L
- Delgado S, see Bradley WG
- Dell'Omo G, see Pedrinelli R
- Deltombe T, Hanson P, Jamart J, Clérin M: The influence of skin temperature on latency and amplitude of the sympathetic skin response in normal subjects, 34
- Demirci M, see Panizza M
- Dengler R, see Schubert M
- Denislac M, see Meh D
- Deymeer F, Çakirkaya S, Serdaroglu P, Schleithoff L, Lehmann-Horn F, Rüdel R, Özdemir C: Transient weakness and compound muscle action potential decrement in myotonia congenita, 1334
- Deymeer F, Öge AE, Serdaroglu P, Yazici J, Özdemir C, Baslo A: The use of botulinum toxin in localizing neuromyotonia to the terminal branches of the peripheral nerve, 643
- Deymeer F, see Wagner S
- Dhoot GK, see Zhang J
- Di Lazzaro V, Restuccia D, Servidei S, Nardone R, Oliviero A, Profice P, Mangiola F, Tonali P, Rothwell JC: Functional involvement of cerebral cortex in duchenne muscular dystrophy, 662
- Di Lazzaro V, see Padua L
- Dillingham TR, Pezzin LE, Lauder TD: Cervical paraspinal muscle abnormalities and symptom duration: A multivariate analysis, 640
- DiMarco AF, see Lin VW
- DiMauro S, see Sciacco M
- DiStefano PS, see Clifford KD
- Doherty TJ, see Chan MK
- Donaghy M, see Maddison P
- Donnelly AE, see Day JS
- Donofrio PD, Bird SJ, Assimos DG, Mathes DD: Iatrogenic superior gluteal mononeuropathy, 1794
- Dorfman L, Robinson L: Ab-normative date, 1233
- Dressnandt J, see Siebner HR
- Drocchio E, see Oh S
- Drott C, see Rex L

Drouin E, Nataf S, Lande G, Louboutin J-P: Abnormalities of cardiac repolarization in multiple sclerosis: Relationship with a model of allergic encephalomyelitis in rat, 940

Duarte J, Cabezas C, Rodriguez F, Claveria LE, Palacin T: Colchicine-induced myopathy with myotonia, 550

Dubas F, see Pénisson-Besnier I

Dudley GA, see Castro MJ

Duggan DJ, see Angelini C

Dumitru D, King JC, McCarter RJM: Single muscle fiber discharge transformations: Fibrillation potential to positive sharp wave, 1759

Dumitru D, King JC, Stegeman DF: Normal needle electromyographic insertional activity morphology: A clinical and simulation study, 910

Dunnell RW, van der Kamp W, van den Brink AM, Stijl M, van Dijk G: Influence of electrode site and size on variability of magnetic evoked potentials, 1779

Dykstra D, see McLoon LK

## E

Ebenbichler GR, Kollmitzer J, Glöckler L, Bochsanský T, Kopf A, Fialka V: The role of the biarticular agonist and cocontracting antagonists pair in isometric muscle fatigue, 1706

Ebersole KT, see Smith DB

Echenne B, see Rivier F

Edgerton VR, see Grossman EJ

Edgerton VR, see Roy RR

Edomi P, see Fabrizio GM

Eisen A, see Nakajima M

Eisen A, see Road J

Eisen AA, see Aminoff MJ

Elam M, see Rex L

Elez F, Celik M: The value of laryngeal electromyography in vocal cord paralysis, 552

Eliezer-Vanerot M-C, see Bélec L

Ellaway PH, see Stedman A

Elliot MA, see Vandenborne K

Ellis B, see Blumenthal D

Ellison R, see Bril V

Ellrich J, Steffens H, Treede R-D, Schomburg ED: The Hoffmann reflex of human plantar foot muscles, 732

Endo I, see Kawai H

England JD, see Chang AP

Engle EC, see Swoboda KJ

Engstrom JW: The Ono-Surgical Management of Acute Low Back Pain, 1815-B

Enzmann NR, Balog EM, Gallant EM: Malignant hyperthermia: Effects of sarcoplasmic reticulum  $Ca^{2+}$  pump inhibition, 361

Erdinç O, see Ertaş M

Ertaş M, Erdinç O, Aydin N, Uludag B, Ertekin C: Surface stimulation single-fiber electromyography, 118

Ertekin C, see Ertaş M

Esposito A, see Midrio

Esterhai JL, see Vandenborne K

Etongué-Mayer P, Faure R, Bouchard J-P, Puymirat J: Characterization of a 54-kilodalton human protein kinase recognized by an antiserum raised against the myotonin kinase, 8

Evans OB, see Vedanarayanan VV

Evans PJ, MacKinnon SE, Levi ADO, Wade JA, Hunter DA, Nakao Y, Midha R: Cold preserved nerve allografts: Changes in basement membrane, viability, immunogenicity, and regeneration, 1507

Evetovich TK, see Smith DB

## F

Fabrizi GM, Simonati A, Morbin M, Cavallaro T, Taioli F, Benedetti MD, Edomi P, Rizzuto N: Clinical and pathological correlations in Charcot-Marie-Tooth neuropathy type 1A with the 17p11.2p12 duplication: A cross-sectional morphometric and immunohistochemical study in twenty cases, 869

Falck B, see Andersen H

Faldut D, see Cohen JA

Falkenberg JH, see McLoon LK

Fallica E, see Pareyson D

Fang J, see Yan K

Fanin M, see Angelini C

Farah SA, see Al-Shubaili AF

Fardeau M, see Cornu C

Fardeau M, see Louboutin J-P

Fardeau M, see Pénisson-Besnier I

Faucheux JM, Tournebise P, Viguier A, Arne-Bes MC, Larrue V, Geraud G: Neuromyopathy secondary to omeprazole treatment, 261

Faure R, see Etongué-Mayer P

Favale E, see Abbruzzese M

Federico A, see Mondelli M

Felice KJ, Relva GM, Conway SR: Further observations on forearm flexor weakness in inclusion body myositis, 659

Felice KJ: Nerve conduction velocities of single thenar motor axons based on the automated analysis of F waves in amyotrophic lateral sclerosis, 762

Fialka V, see Ebenbichler GR

Finsterer J, see Muellbacher W

Fiori P, see Antonini G

Fiorito A, see Merletti R

Fisher MA, Rivner MH: The contemporary role of F-wave studies, 1098

Fisher MA, see Wilson JR

Fitts RH, see Riley DA

Flachenecker P, Reiners K: Autonomic nervous system testing, 680

Flachenecker P, see Bergmann I

Fletcher S, see Howell JM

Floeter MK, Gerloff C, Kouri J, Hallett M: Cutaneous withdrawal reflexes of the upper extremity, 591

Floeter MK, see Manconi FM

Fournier E, see Tankéré F

Franzblau A, see Salerno DF

Freda MP, see Angelini C

Frey M, see Rab M

Frisso G, see Santoro L

Fujiki M, see Kamada T

Fujita T, see Nishino I

Fujiwara T, see Kawai H

Funke H, see Stögbauer F

## G

Gabreëls-Festen AAWM, see Stoll G

Gallant EM, see Enzmann NR

Gallo B, see Berger JR

Gandevia SC, see Allen GM

Gandevia SC, see Burke D

Garcia CA, see Chang AP

García Villanueva M, see Blanco Jerez CR

Garland SJ, see Ivanova T

Garlepp MJ, see Phillips BA

Garrett K, see Anderson JE

Gasparo-Rippa P, see Sciocco M

Geiringer SR: Inching techniques are of limited use, 1557

Geiringer SR: Reply by Dr. Geiringer to Dr. Campbell's reply, 1561

Gehlen W, see Haupts

Genge A, see Argov Z

Geraud G, see Faucheux JM

Gerloff C, see Floeter MK

Gerritsen JJ, see Links TP

Gheradi RK, see Bélec L

Gibson C, see Orrell RW

Giess R, Goetz R, Schrank B, Ochs G, Sendtner M, Toyka K: Potential implications of a ciliary neurotrophic factor gene mutation in a German population of patients with motor neuron disease, 236

Gilhus NE, see Skeie GO

Gilroy SJ, see Sutherland H

Gin H, see Bril V

Gingras M, see Vilquin J-T, 567

Ginjaar HB, see van der Kooij AJ

Giovannelli M, see Romeo S

Giuffrè G, see Tuccari G

Giuliani MJ, see Campellone JV

Giuliani MJ, see Creel GB

Giuliani MJ, see Lacomis D

Gjerstad MA, see Andersen H

Glockler FX, see Braune S

Glöckler L, see Ebenbichler GR

Gobernado JM, see Blanco-Jerez CR

Godschalk M, see Kuypers PDL

Goetz R, see Giess R

Goldberg G, Goldstein H: AAEM Case Report 32: Nerve injury associated with hip arthroplasty, 519

Goldstein H, see Goldberg G

Gominak SC, Ochoa JL: Sciatic schwannoma of the thigh causing foot pain mimicking plantar neuropathy, 528

Gooch CL: Repetitive axonal stimulation of the same single motor unit: A longitudinal tracking study, 1537

Goodenough DJ, see Bierner SM

Goodin DS: Handbook of Neurological Rating Scales, 1814-B



Gordon T, see Bobet J  
 Gorman PH, Kikta DG, Peckham PH: Neurophysiologic evaluation of lower motor neuron damage in tetraplegia, 1321  
 Gossett JG, Chance PF: Is there a familial carpal tunnel syndrome? An evaluation and literature review, 1533  
 Goto H, see Mizuno K  
 Gogo Y, see Wakutani Y  
 Goto Y-I, see Nishino I  
 Goto Y-I, see Osaki Y  
 Goubel F, see Cornu C  
 Grafman J, see Samii A  
 Gragnani F, see Antonini G  
 Gramsbergen A, see IJkema-Paassen J  
 Grand'Maison F, see Maher J  
 Graven-Nielsen T, see Svensson P  
 Gregori B, see Padua L  
 Gregorić M: Suppression of flexor reflex by transcutaneous electrical nerve stimulation in spinal cord injured patients, 166  
 Griggs RC, see Orrell RW  
 Griggs RC, see Rose MR  
 Grill SE, see Panizza M  
 Grimby G, Stålberg E, Sandberg A, Sunnerhagen KS: An 8-year longitudinal study of muscle strength, muscle fiber size, and dynamic electromyogram in individuals with late polio, 1428  
 Grob D, see Pagala MK  
 Grossman EJ, Roy RR, Talmadge RJ, Zhong H, Edgerton VR: Effects of inactivity on myosin heavy chain composition and size of rat soleus fibers, 375  
 Gruber H, see Rab M  
 Gutmann L, see Blumenthal D  
 Gutmann L, see Bütefisch CM

## H

Hagiwara Y, see Ozawa E  
 Haleem MA, see Khuraibet AJ  
 Hallauer PL, see Ito H  
 Hallett M, see Floeter MK  
 Hallett M, see Panizza M  
 Hallett M, see Samii A  
 Hallett M, see Valls-Solé J  
 Hanatani M, see Watanabe O  
 Handelsman A, see Walk D  
 Hanemann CO, see Stoll G  
 Hanson P, see Deltombe T  
 Harada H, see Ito H  
 Harati Y, see Machkhas H  
 Harb R, see Lincoln J  
 Hashi K, see Sakai J  
 Hashida T, see Kaji R  
 Hashimoto K, see Nishino I  
 Hasleton PS, see Tang ATM  
 Haslik W, see Rab M  
 Hass RH, see Shelton GD  
 Hassel B: Improvement of muscle function in Charcot-Marie-Tooth disease by transcutaneous electric nerve stimulation, 267  
 Hastings KEM, see Ito H

Hattori N, see Mizuno K  
 Haupts MR, Gehlen W, Busing M: Limited value of F Waves in monitoring pancreas-transplanted type 1 diabetics, 1810  
 Hausmanowa-Petrusewicz I, see Zalewska E  
 Hayashi A, see Kagamihara Y  
 Heistand M, see Kothari MJ  
 Hensbergen E, Kernell D: Circadian and individual variations in duration of spontaneous activity among ankle muscles of the cat, 345  
 Hentschel M, see Braune S  
 Herskovitz S, see Scelsa SN  
 Hess CW, see Arányi Z  
 Hinds LR, see Marsh DR  
 Hodgson JA, see Roy RR  
 Hoffman EP, see Angelini C  
 Holbach SM, see Creel GB  
 Honnorat J, see Antoine J-C  
 Hood DC, see Menkes DL  
 Hooper TL, see Tang ATM  
 Hopkinson NS, see Silber E  
 Horai S, see Nishino I  
 Hori S, see Kamida T  
 Hormou O, see Sakai J  
 Housh TJ, see Smith DB  
 Hovius SER, see Kuypers PDL  
 Howell JM, Fletcher S, O'Hara A, Johnsen RD, Lloyd F, Kakulas BA: Direct dystrophin and reporter gene transfer into dog muscle in vivo, 159  
 Hunter DA, see Evans PJ  
 Hussein JM, see Al-shubaili AF

## I

Iaizzo PA, see McLoon LK  
 Ikeda Y, Tanaka M, Mizushima K, Okamoto K: A case of eosinophilic polymyositis complicated by myasthenia gravis, 1356  
 Iida K, see Oishi M  
 IJkema-Paassen J, Gramsbergen A: Polyneuronal innervation in the psoas muscle of the developing rat, 1058  
 Imamura A, see Kaji R  
 Imir T, see Anlar B  
 Inghilleri M, see Cruccu G  
 Inghilleri M, see Romeo S  
 Innocenti P, see Cruccu G  
 Inui K, see Kaji R  
 Inui T, see Kawai H  
 Ishida H, see Wakutani Y  
 Ishizu M, see Kaji R  
 Isono M, see Kamida T  
 Ito H, Hallauer PL, Hastings KEM, Tremblay JP: Prior culture with concanavalin A increases intramuscular migration of transplanted myoblast, 291  
 Ito H, Tsuji T, Saito T, Kowa H, Harada H: Significance of facial and trigeminal nerve involvement in Charcot-Marie-Tooth disease type 1A: A case report, 1108  
 Ivanova T, Garland SJ, Miller KJ: Motor unit recruitment and discharge behavior in movements and isometric contractions (Reply), 414

Ivanyi B, Redekop W, de Jongh R, de Visser M: Computed tomographic study of the skeletal musculature of the lower body in 45 postpolio patients, 540  
 Iwasa K, Komai K, Takamori M: Spontaneous thymoma rat as a model for myasthenic weakness caused by anti-ryanodine receptor antibodies, 1655  
 Iyer VG: Case of the month: Palmaris brevis sign in ulnar neuropathy 1998, 675  
 Izumi S-I, Tsubahara A, Chino N, Mineo K: Effects of dantrolene sodium on fibrillation potentials in denervated rat muscles, 1797

## J

Jaimovich E, see Liberona JL  
 Jakobsen J, see Andersen H  
 Jakubiec-Puka A, see Szczepanowska J  
 Jamart J, see Deltombe T  
 Jaynes M, see Blumenthal D  
 Jander S, see Stoll G  
 Jankovic J, see Wang A  
 Janzen D, see Markson L  
 Janzer RC, see Kuntzer T  
 Jaros L, see Bromberg MB  
 Jarvis JC, see Sutherland H  
 Jean-François B, see Siregar NC  
 Jeffers BW, see Cohen JA  
 Jellali AJ, see Rivier F  
 Jiménez-Escrig A, see Blanco-Jerez CR  
 Johnsen RD, see Howell JM  
 Johnson GO, see Smith DB  
 Johnston HM, see Orrell RW  
 Jones DS, see Costas PD  
 Jones HR, see Swoboda KJ  
 Joynt RL: Reply by Dr. R.L. Joynt, 1806  
 Joynt RL: The concentric versus the monopolar needle electrode: The case for monopolar needles, 1804

## K

Kadir A, see Wilson JR  
 Kagamihara Y, Hayashi A, Okuma Y, Nagaoka M, Nakajima Y, Tanaka R: Reassessment of H-reflex recovery curve using the double stimulation procedure, 352  
 Kaji R, Kodama M, Imamura A, Hashida T, Kohara N, Ishizu M, Inui K, Kimura J: Effect of ultrahigh-dose methylcobalamin on compound muscle action potentials in amyotrophic lateral sclerosis: A double-blind controlled study, 1775  
 Kakulas BA, see Howell JM  
 Kami K, Senba E: Localization of leukemia inhibitory factor and interleukin-6 messenger ribonucleic acids in regenerating rat skeletal muscle, 819  
 Kamida T, Fujiki M, Hori S, Isono M: Conduction pathways of motor evoked potentials following transcranial

- magnetic stimulation: A rodent study using a "Figure-8" coil, 722
- Kaminski HJ, see Kusner LL, see Saadat K
- Karandreas N, see Mitsikostas DD
- Karpati G, see Argov Z
- Kashiwagi S, see Kawai H
- Kass PH, see Shelton GD
- Katirji B, see Richardson RF Jr.
- Kawaguchi Y, see Nakatoh S
- Kawai H, Akaike M, Kunishige M, Inui T, Adachi K, Kimura C, Kawajiri M, Nishida Y, Endo I, Kashiwagi S, Nishino H, Fujiwara T, Okuno S, Roudaut C, Richard I, Beckmann JS, Miyoshi K, Matsumoto T: Clinical, pathological, and genetic features of limb-girdle muscular dystrophy type 2A with new calpain 3 gene mutations in seven patients from three Japanese families, 1493
- Kawajiri M, see Kawai H
- Keniston RC, see Nathan PA
- Kent-Braun JA, see Castro MJ
- Kent-Braun JA, Walker CH, Weiner MW, Miller RG: Functional significance of upper and lower motor neuron impairment in amyotrophic lateral sclerosis, 762
- Kernell D, see Hensbergen E
- Kerschensteiner M, see Stögbauer F
- Khuraibet AJ, Neubauer D, Noor KZ, Haleem MA, Trontelj JV: A case of neonatal tetanus with characteristic neurophysiological findings, 972
- Khuraibet AJ, see Al-shubaili AF
- Khwaia S, Sripathi N, Ahmad BK, Lennon VA: Paraneoplastic motor neuron disease with type 1 purkinje cell antibodies, 943
- Kiernan MC, see Mogyros I
- Kikta DG, see Gorman PH
- Kim DS, Claussen GC, Oh SJ: Single-fiber electromyography improvement with 3,4-diaminopyridine in Lambert-Easton myasthenia syndrome, 1107
- Kim J, see O'Shaughnessy TJ
- Kim SJ, see Sung JJ
- Kim YI, see O'Shaughnessy TJ
- Kimura C, see Kawai H
- Kimura J, see Kaji R
- Kim J, see O'Shaughnessy TJ
- King JC, see Dumitru D
- Kingery WS, see Wu PB
- Kinoshita I, see Vilquin J-T, 567
- Kinoshita I, Vilquin JT, Asselin I, Chamberlain J, Tremblay JP: Transplantation of myoblasts from transgenic mouse overexpressing dystrophin produced only a relatively small increase of dystrophin-positive membrane, 91
- Kitagawa H, see Nakatoh S
- Kitajima I, see Watanabe O
- Kobayashi O, see Nishino I
- Kocsis JD, see Sakai J
- Kodama M, see Kaji R
- Koffman BM, Rugiero M, Dalakas MC: Immune-mediated conditions and antibodies associated with sporadic inclusion body myositis, 115
- Kofler M, Kronenberg MF: Bilateral femoral neuropathy during pregnancy, 1106
- Kofler M, see Leis AA
- Kohara N, see Kaji R
- Kohler A, see Magistris MR
- Koller R, see Rab M
- Kollmitzer J, see Ebenbichler GR
- Koltzenburg M, see Bergmann I
- Komai K, see Iwasa K
- Komi PV, see Avela J
- Komi PV, see Nicol C
- Kopf A, see Ebenbichler GR
- Kornegay JN, see Childers MK
- Kornegay JN, see Schatzberg SJ
- Kossev A, Christova P: Motor Unit Recruitment and discharge behavior in movements and isometric contractions, 413
- Kothari MJ, Macintosh K, Heistand M, Logigian EL: Medial antebrachial cutaneous sensory studies in the evaluation of neurogenic thoracic outlet syndrome, 647
- Kouri J, see Floeter MK
- Kowa H, see Ito H
- Kozloff M, see Walk D
- Kraft GH, Aminoff MJ, Baran EM, Litchy WJ, Stolov WC: AAEM practice topics in electrodiagnostic medicine: Somatosensory evoked potentials: Clinical uses, 252
- Kramer DJ, see Campellone JV
- Krarup C, see Simonetti S
- Krivicak LS, Wilbourn AJ: Sports and peripheral nerve injuries: Report of 190 injuries evaluated in a single electromyography laboratory, 1092
- Kronenberg MF, see Kofler M
- Kuruoglu HR, see Bir LS
- Kürz LL, see Wagner S
- Kucharski LJ, see Binder-MacLeod SA
- Kumagai K, see Nishino I
- Kumamoto T, Nagao S-I, Sugihara R, Abe T, Ueyama H, Tsuda T: Effect of chloroquine-induced myopathy on rat soleus muscle sarcoplasm and expression of clathrin, 665
- Kumamoto T, see Mita S
- Kunishige M, see Kawai H
- Kuniyoshi K, see Mizuno K
- Kuntzer T: Unilateral femoral neuropathy (Reply), 127
- Kuntzer T, Schaller M-D, Vuadens P, Janzer RC: Recurrent acute quadriplegic myopathy with myosin deficiency, 266
- Kunze K, see Stuerenburg HJ
- Kurihara M, see Nishino I
- Kusner LL, Mygland Å, Kaminski HJ: Ryanodine receptor gene expression thymomas, 1299
- Kusunoki S, see Sakurai Y
- Kuypers PDL, van Egeraat JM, v Heel MD, van Briemen LJ, Godschalk M, Hovius SER: A magnetic evaluation of peripheral nerve regeneration: I. The discrepancy between magnetic and histologic data from the proximal segment, 739
- Kuypers PDL, van Egeraat JM, van Briemen LJ, Godschalk M, Hovius SER: A magnetic evaluation of peripheral nerve regeneration: II. The signal amplitude in the distal segment in relation to functional recovery, 750
- Kwende MMN, see Sutherland H
- L**
- Lachman T, see Bierner SM
- Lacomis D, Petrella T, Giuliani MJ: Causes of neuromuscular weakness in the intensive care unit: A study of ninety-two patients, 610
- Lacomis D, see Campellone JV
- Lacomis D, see Creel GB
- Laine FJ, see Campbell WW
- Lamas G, see Tankéré F
- Lande G, see Drouin E
- Lane RJM, see Silber E
- Lang DF, see Bütefisch CM
- Lapras J, see Antoine J-C
- Larrue V, see Fauchoux JM
- Lauder TD, see Dillingham TR
- Lawn N, see Maddison P
- Layzer RB: Asthenia and the chronic fatigue syndrome, 1609
- Le Forestier N, Moulouguet A, Maisonnobe T, Léger J-M, Bouche P: True neurogenic thoracic outlet syndrome: Electrophysiological diagnosis in six cases, 1129
- Léger J-M, see Chassande B
- Léger J-M, see Le Forestier N
- Leandro G, see Annese V
- Lee HB, see Sung J-J
- Lee KW, see O'Shaughnessy TJ
- Lee K-W, see Sung J-J
- Lee SCK, see Binder-MacLeod SA
- Lehman CT, see Macias MY
- Lehmann-Horn F, see Deymeier F
- Lehmann-Horn F, see Wagner S
- Leis AA: Cutaneous silent period, 1243
- Leis AA, Kofler M, Stokic DS: Transcranial Magnetic Stimulation (TMS) induces inhibition at a cortical level, 551
- Lennon VA, see Khwaia S
- Lester WS, see Marsh DR
- Levi, ADO, see Evans PJ
- Levin KH: L5 radiculopathy with reduced superficial peroneal sensory responses: Intraspinal and extraspinal causes, 3
- Levine TD, Pestronk A: Inflammatory myopathy with cytochrome oxidase negative muscle fibers: Methotrexate treatment, 1724
- Levinson SR, see Novakovic SD
- Lewis RA, see Bierner SM
- Li H-L, see Shi F-D
- Liberona JL, Powell JA, Shenoi S, Petherbridge L, Caviedes R, Jaimovich E: Differences in both inositol 1,4,5-trisphosphate mass and inositol 1,4,5-trisphosphate receptors between normal and dystrophic skeletal muscle cell lines, 902
- Liguori R, Cevoli S, Montagna P: Electroneurographic investigation of the mandibular nerve in lingual neuropathy, 410

- Lin T-S, Cheng K-S: Characterization of the relationship between motor end-plate jitter and the safety factor, 628
- Lin T-S, Cheng T-J: Stimulated single-fiber electromyography in the rat, 482
- Lin VW, Romaniuk JR, DiMarco AF: Functional magnetic stimulation of the respiratory muscles in dogs, 1048
- Lincoln J, Harb R: Postnatal development of nitric oxide synthase activity in fast and slow muscles of the rat, 1344
- Lindner A, see Shambal S
- Linden D: Autonomic evaluation by means of standard tests and power spectral analysis in multiple sclerosis (Reply), 679
- Lindsay RM, see Cliffer KD
- Link H, see Shi F-D
- Links TP, Arnoldus EPJ, Wintzen AR, van der Hoeven J, Gerritsen JJ, Brandenburg HCR: The calcium channel blocker verapamil in hypokalemic periodic paralysis, 1564
- Liscic RM, Zidar J, Mihelin M: Evidence of direct connection of corticobulbar fibers to orofacial muscles in man: Electromyographic study of individual motor unit responses, 561
- Litchy WJ, see Kraft GH
- Lloyd F, see Howell JM
- Lockwood RS, see Nathan PA
- Logigian EL, see Kothari MJ
- LoMonaco M, see Padua L
- Loonen MCB, see de Jager AEJ
- Lopate G, Pestronk A, Yee W-C: N lines in a myopathy with myosin loss, 1216
- Lopez-Calvo S, see Blanco-Jerez CR
- Lopez-Devine J, see Samii A
- Louboutin J-P, Drouin E
- Louboutin J-P, Navenot J-M, Villanova M, Rouger K, Merlini L, Fardeau M: X-linked vacuolated myopathy: Membrane attack complex deposition on the surface membrane of injured muscle fibers is not accompanied by s-protein, 932
- Louboutin J-P, Noireaud J: Sodium withdrawal contractures in developing and regenerating rat extensor digitorum longus muscles, 1530
- Lücking CH, see Braune S
- Luciano CA, see Samii A
- Lunde PK, see Skeie GO
- Luo J, see Yang L
- Lygidakis C, see Mitsikostas DD
- M**
- Macefield VG: Spontaneous and evoked ectopic discharges recorded from single human axons, 461
- Machkhas H, Bidichandani SI, Patel PI, Harati Y: A mild case of friedreich ataxia: Lymphocyte and sural nerve analysis for GAA repeat length reveals somatic mosaicism, 390
- Macias MY, Lehman CT, Sanger JR, Riley DA: Myelinated sensory and alpha motor regeneration in peripheral nerve neuromas, 1748
- Macintosh K, see Kothari MJ
- MacKinnon SE, see Evans PJ
- Mackinnon SE, see Munro CA
- Maddison P, Lawn N, Mills KR, Vincent A, Donaghy M: Acquired neuromyotonia in a patient with spinal epidural abscess, 672
- Maddison P, Newsom-Davis J, Mills KR: Effect of 3,4-Diaminopyridine on the time course of decay of compound muscle action potential augmentation in the Lambert-Eaton myasthenic syndrome, 1196
- Magistris MR, Kohler A, Pizzolato G, Morris MA, Baroffio A, Bernheim L, Bader C: Needle muscle biopsy (reply), 1562
- Magistris MR, Kohler A, Pizzolato G, Morris MA, Baroffio A, Bernheim L, Bader CR: Needle muscle biopsy in the investigation of neuromuscular disorders, 194
- Maguire J, see Tarnopolsky MA
- Maher J, Grand'Maison F, Nicolle MW, Strong MJ, Bolton CF: Diagnostic difficulties in myasthenia gravis, 577
- Maisonobe T, see Chassande B
- Maisonobe T, see Le Forestier N
- Maisonobe T, see Tankéré F
- Malessy MJA, see van Dijk JG
- Mamoki B, see Muellbacher W
- Manca ML, see Chisari C
- Manconi FM, Syed NA, Floeter MK: Mechanisms underlying spinal motor neuron excitability during the cutaneous silent period in humans, 1256
- Manfredi M, see Cruccu G
- Manfredi M, see Mercuri B
- Manfredi M, see Modugno N
- Manfredi M, see Romeo S
- Mangiola F, see Di Lazzaro V
- Mann CJ, see Schatzberg SJ
- Mannen T, see Sakurai Y
- Marchettini P, see Compero M
- Marcoux M, see Cohen JA
- Margherita AJ, see Willick SE
- Marino L, see Pedrinelli R
- Markson L, Janzen D, Brill V: Response to therapy in demyelinating motor neuropathy, 1769
- Marques MJ, see Neto HS
- Marsh DR, Hinds LR, Lester WS, Reinking BE, Booth FW: The force-frequency relationship is altered in regenerating and senescent rat skeletal muscle, 1265
- Marshall SC, see Ashworth NL
- Martinez A, see Nogues MA
- Maruyama I, see Watanabe O
- Maselli RA, see Bakshi N
- Mastaglia FL, see Phillips BA
- Mathes DD, see Donofrio PD
- Mathis J, see Arányi Z
- Matre D, see Svensson P
- Matsubayashi K, see Osaki Y
- Matsukura S, see Sugimoto S
- Matsumoto T, see Kawai H
- Matsuo K, see Watanabe O
- Matsushima E, see Wakutani Y
- McCarter RJM, see Dumitru D
- McHugh M, see Conwit RA
- McIntosh L, see Anderson JE
- McKenzie DK, see Allen GM
- McKeown JM, Bolton CF: Electromyography of the diaphragm in neuromuscular disease, 954
- McLeod JG, see Barnett MH
- McLeod JG, see Sander S
- McLoon, LK, Falkenberg JH, Dykstra D, Iazzo PA: Doxorubicin chemomyectomy as a treatment for cervical dystonia: Histological assessment after direct injection into the sternocleidomastoid muscle, 1457
- Meadows KD, see Nathan PA
- Megighain A, see Midrio
- Meh D, Denislic M: Autonomic Evaluation by means of standard tests and power spectral analysis in multiple sclerosis, 678
- Mehta S, see Connolly AM
- Meinecke I, see Awiszus Fs
- Melvin JL, see Biernier SM
- Mendell JR, see Sciacco M
- Menéndez C, see Murga L
- Menegazzo E, see Angelini C
- Menkes DL, Hood DC, Ballesteros RA, Williams DA: Root stimulation improves detection of acquired demyelinating polyneuropathies, 298
- Mercuri B, Berardelli A, Modugno N, Vacca L, Ruggieri S, Manfredi M: Reciprocal inhibition in forearm muscles in patients with essential tremor, 796
- Mercuri B, see Modugno N
- Merletti R, Fiorito A, Conte L, Cisari C: Repeatability of electrically evoked EMG signals in the human vastus medialis muscle, 184
- Merlini L, see Louboutin J-P
- Metallinos, IC, see Teriz S
- Metter EJ, see Conwit RA
- Meyer B-U, Röricht S, Schmitt R: Bilateral fibrolipomatous hamartoma of the median nerve with macrocheiria and late-onset nerve entrapment syndrome, 656
- Michel D, see Antoine J-C
- Micklesen PJ, see Robinson LR
- Middlekauff EH, see O'Shaughnessy TJ
- Midha R, see Evans PJ
- Midha R, see Munro CA
- Midrio M, Danieli-Betto D, Esposito A, Megighain A, Carraro U, Catani C, Rossini D: Lack of type 1 and type 2a myosin heavy chain isoforms in rat slow muscle regenerating during chronic nerve block, 226
- Mihara M, see Usugisawa K
- Mihelin M, see Liscic RM
- Miller KJ, see Ivanova T
- Miller RG, see Castro MJ
- Miller RG, see Kent-Braun JA
- Mills KR, see Maddison P
- Millsson J, see Panizza M
- Minatel C, see Abbruzzese M
- Mineo K, see Izumi S-I

Minetti C, Cordone G, Beltrame F, Bado M, Bonilla E: Disorganization of dystrophin costameric lattice in becker muscular dystrophy, 211

Mita S, Tokunaga M, Uyama E, Kumamoto T, Uekawa K, Uchino M: Single muscle fiber analysis of myoclonus epilepsy with ragged-red fibers, 490

Mitsikostas DD, Karandreas N, Coutospetras P, Piperos P, Lygidakis C, Papageorgiou C: Fasciculation potentials in healthy people, 533

Miyoshi K, see Kawai H

Miyamoto S, see Oishi M

Mizuno K, Nagamatsu M, Hattori N, Yamamoto M, Goto H, Kuniyoshi K, Sobue G: Chronic inflammatory demyelinating polyradiculoneuropathy with diffuse and massive peripheral nerve hypertrophy: Distinctive clinical and magnetic resonance imaging features, 805

Mizuno Y, see Ozawa E

Mizushima K, see Ikeda Y

Mochizuki Y, see Oishi M

Modugno N, Priori A, Berardelli A, Vacca L, Mercuri B, Manfredi M: Botulinum toxin restores presynaptic inhibition of group Ia afferents in patients with essential tremor, 1701

Modugno N, see Mercuri B

Mogyoros I, Kiernan MC, Burke D, Bostock H: Ischemic resistance of cutaneous afferents and motor axons in patients with amyotrophic lateral sclerosis

Mohamed A, Davies L, Pollard JD: Conduction block in vasculitic neuropathy, 1084

Mohamed AS, see Bélec L

Mondelli M, Cioni R, Federico A: Rare mononeuropathies of the upper limb in bodybuilders, 809

Monici MS, see Tuccari G

Montagna P, Cortelli P, Barbiroli B: A case of cluster headache associated with mitochondrial DNA deletions, 127

Montagna P, see Liguori R

Mooney RF, see Bobet J

Moor A, see Anderson JE

Morbin M, see Fabrizi GM

Morino S, see Antonini G

Morita M, see Osaki Y

Mornet D, see Rivier F

Morris MA, see Magistris MR

Mosnier, J-F, see Antoine J-C

Moulounguet A, see Le Forestier N

Muellerbacher W, Finsterer J, Mamoli B, Bittner RE, Trautinger F: Axonal polyneuropathy in Ehlers-Danlos syndrome, 972

Müller H-W, see Stoll G

Müllges W, see Bergmann I

Munro CA, Szalai JP, Mackinnon SE, Midha R: Lack of association between outcome measures of nerve regeneration, 1095

Murad MH, see Richardson RF Jr.

Murahashi M, see Shibuya S

Murakami N, see Osaki Y

Murga L, Sánchez F, Menéndez C, Castilla JM: Diagnostic yield of stimulation and voluntary single-fiber electromyography in myasthenia gravis, 1081

Myers LD, see Nathan PA

Myers SJ, see Bierner SM

Mygland A, see Kusner LL

Mygland A, see Skeie GO

Myint T, see Tarnopolsky MA

## N

Nagamatsu M, see Mizuno K

Nagane Y, see Utsugisawa K

Nagano I, see Bradley WG

Nagao S-I, see Kumamoto T

Nagaoka M, see Kagamihara Y

Nakajima M, Eisen A, Stewart H: Comparison of corticomotoneuronal EPSPs and macro-MUPs in amyotrophic lateral sclerosis, 18

Nakajima Y, see Kagamihara Y

Nakamura H, see Nakatoh S

Nakao Y, see Evans PJ

Nakatoh S, Kitagawa H, Kawaguchi Y, Nakamura H, Takano H, Tsuji H: Effects of coil orientation and magnetic field shield on transcranial magnetic stimulation in cats, 1172

Namba T, see Pagala MK

Nardin RA, Raynor EM, Rutkove SB: Fibrillations in lumbosacral paraspinal muscles of normal subjects, 1347

Nardone R, see Di Lazzaro V

Narrom M, see Sugimoto S

Nasathurai S, see Chan KM

Nataf S, see Drouin E

Nathan PA, Keniston RC, Myers LD, Meadows KD, Lockwood RS: Natural history of median nerve sensory conduction in industry: Relationship to symptoms and carpal tunnel syndrome in 558 hands over 11 years, 711

Naumann M, see Bergmann I

Navenot J-M, see Louboutin J-P

Neff J, see Wu PBj

Neto HS, de Carvalho VC, Marques MJ: Estimation of the number and size of human flexor digiti minimi muscle motor units using histological methods, 112

Neubauer D, see Khuraibet AJ

Neumayer C, see Rab M

Newsom-Davis J, see Maddison P

Ngo M, see Bril V

Nicholson GA, see Sander S

Nicol C, Komi PV: Significance of passively induced stretch reflexes on achilles tendon force enhancement, 1546

Nicoll MW, see Maher J

Nishida Y, see Kawai H

Nishino H, see Kawai H

Nishino I, Kobayashi O, Goto Y-I, Kurihara M, Kumagai K, Fujita T, Hashimoto K, Horai S, Nonaka I: A new congenital muscular dystrophy with mitochondrial structure abnormalities, 40

Nishino I, see Osaki Y

Noguchi S, see Ozawa E

Nogues MA, Salas E, Martinez A, Romero C: Unilateral Femoral Neuropathy, 126

Noireaud J, see Louboutin J-P

Nonaka I, see Nishino I

Nonaka I, see Osaki Y

Noor KZ, see Khuraibet AJ

Novakovic SD, Levinson SR, Schachner M, Shrager P: Disruption and reorganization of sodium channels in experimental allergic neuritis, 1019

Nyhan WL, see Shelton GD

## O

O'Hara A, see Howell JM

O'Shaughnessy TJ, Van H, Kin J, Middlekauff EH, Lee KW, Phillips LH, Kim J, Kim YI: Amyotrophic lateral sclerosis: Serum factors enhance spontaneous and evoked transmitter release at the neuromuscular junction, 81

Ochoa JL, see Compero M

Ochoa JL, see Gominak SC

Ochs G, see Giess R

Öge AE, see Deymeer F

Odawara M, Tamaoka A, Shoji S, Yamashita K: A case of cluster headache associated with mitochondrial DNA deletions (Reply), 128

Oh SJ, Claussen GC, Drocpho E: Paraneoplastic sensory neuropathy, demyelinating features, and response to immunotherapy (reply), 1811

Oh SJ, see Kim DS

Oh T, see Sugimoto S

Oishi M, Mochizuki Y, Miyamoto S, Iida Kiyoshi: Chronic inflammatory demyelinating polyneuropathy with high titer of anti-sulfated glucuronyl paragloboside antibody, 682

Okereke E, see Vandenborne K

Okuma Y, see Kagamihara Y

Okuno S, see Kawai H

Oliviero A, see Di Lazzaro V

Olney RK: Neurophysiological evaluation and clinical trials from neuromuscular diseases

Onishi S, see Osaki Y

Oosterink BJ, see de Jager AEJ

Operti M-G, Vincent M-F, Brucher J-M, van den Berghe G: Enzymes of the purine nucleotide cycle in muscle of patients with exercise intolerance, 401

Orensanz L, see Blanco Jerez CR

Orrell RW, Johnston HM, Gibson C, Cass RM, Griggs RC: Case of the Month: Spontaneous abdominal hematoma in dermatomyositis, 1800

Orsini AVM, see Santoro L

Osaki Y, Nishino I, Murakami N, Matsubayashi K, Tsuda K, Yokoyama Y-I, Morita M, Onishi S, Goto Y-I, Nonaka I: Mitochondrial abnormalities in selenium-deficient myopathy, 637

Osame M, see Watanabe O

Otavian L, see Childers MK



Ouvrier RA, see Sander S  
 Ozawa E, Noguchi S, Mizuno Y, Hagiwara Y, Yoshida M: Invited Review: From dystrophinopathy to sarcoglycanopathy: Evolution of a concept of muscular dystrophy, 421  
 Özdemir C, see Deymeer F  
 Özdemir C, see Wagner S  
 Ozdirim E, see Anlar B

## P

Padua L, Lo Monaco M, Gregori B, Di Lazzaro V, Padua Roberto, Tonali P: Bilateral clinical-neurophysiological assessment of median nerve in carpal tunnel syndrome patients, 264  
 Padua L, Padua R, Aprile I, Tonali P: Noninvasive laser neurolysis in carpal tunnel syndrome, 1232  
 Padua R, see Padua L  
 Pagala MK, Ravindran K, Namba T, Grob D: Skeletal muscle fatigue and physical endurance of young and old mice, 1729  
 Pakiam ASI, Parry GJ: Multifocal motor neuropathy without overt conduction block, 243  
 Palacin T, see Duarte J  
 Panizza M, Milson J, Roth BJ, Grill SE, Demirci M, Hallett M: Differences between the time constant of sensory and motor peripheral nerve fibers: Further studies and considerations, 48  
 Papageorgiou C, see Mitsikostas DD  
 Papapetropoulos T, see Teriz S  
 Paresy D, Solari A, Taroni F, Botti S, Fallica E, Scafoli V, Ciano C, Sghirlanzoni A: Detection of hereditary neuropathy with liability to pressure palsies among patients with acute painless mononeuropathy or plexopathy, 1686  
 Parry GJ, see Pakiam ASI  
 Partridge TA, see Bockhold KJ  
 Paschalis C, see Teriz S  
 Pastor P, Valls-Sole J: Recruitment curve of the soleus H reflex in patients with neurogenic claudication, 985  
 Pastore L, see Santoro L  
 Patel PI, see Machkhas H  
 Pénisson-Besnier I, Richard I, Dubas F, Beckmann JS, Fardeau M: Pseudometabolic expression and phenotypic variability of calpain deficiency in two siblings, 1078  
 Peckham PH, see Gorman PH  
 Pedace F, see Romeo S  
 Pedrinelli R, Marino L, Dell'Omo G, Siciliano G, Rossi B: Altered surface myoelectric signals in peripheral vascular disease: Correlates with muscle fiber composition, 201  
 Pellegrino M, Pellegrini M, Bigini P, Scimemi A: Properties of  $Ca^{2+}$ -activated  $K^+$  channels in erythrocytes from patients with myotonic muscular dystrophy, 1465  
 Pelligrini M, see Pellegrino M  
 Pengenius G, see Rex L  
 Penner K, see Anderson JE  
 Perry SR, see Smith DB  
 Pestronk A, see Connolly AM  
 Pestronk A, see Levine TD  
 Pestronk A, see Lopate G  
 Petherbridge L, see Liberona JL  
 Petrella T, see Lacomis D  
 Petrof BJ, see Yang L  
 Petroski G, see Childers MK  
 Pezzin LE, see Dillingham TR  
 Phillips BA, Zilko P, Garlepp MJ, Mastaglia FL: Frequency of relapses in patients with polymyositis and dermatomyositis, 1668  
 Phillips LH, see O'Shaughnessy TJ  
 Piédouillet C, see Bélec L  
 Piperos P, see Mitsikostas DD  
 Pizzolato G, see Magistris MR  
 Podell M, Chen E, Shelton GD: Feline immunodeficiency virus associated myopathy in the adult cat, 1680  
 Pollard JD, see Barnett MH  
 Pollard JD, see Mohamed A  
 Pollard JD, see Sander S  
 Polman CH, see ter Brugge JP  
 Polykovskaya Y, see Chan KM  
 Pons F, see Rivier F  
 Porter MM, see Chan MK  
 Potter P, see Romano JG  
 Powell JA, see Liberona JL  
 Prakash YS, Sieck GC: Age-related remodeling of neuromuscular junctions on type-identified diaphragm fibers, 887  
 Priori A, see Modugno N  
 Proffice P, see Di Lazzaro V  
 Przuntek H, see Amoiridis G  
 Puymirat J, see Etougué-Mayer P

## Q

Quasthoff S: The role of axonal ion conductances in diabetic neuropathy: A review, 1246  
 Quinto C, see Sander HW

## R

Rab M, Koller R, Haslik W, Neumayer C, Todoroff BP, Frey M, Gruber H: The impact of a muscle target organ on nerve grafts with different lengths—A histomorphological analysis, 618  
 Radley HE, see Cliffer KD  
 Raps EC, see Rich MM  
 Ravindran K, see Pagala MK  
 Raynard D, see Bril V  
 Raynor EM, see Rutkove SB  
 Raynor EM, see Nardin RA  
 Redekop W, see Ivanyi B  
 Redondo C, see Blanco-Jerez CR  
 Reichler B, see Scelsa SN  
 Reid H, see Tang ATM  
 Reinert K, see Flachenecker P  
 Reinking BE, see Marsh DR  
 Relva GM, see Felice KJ  
 Remler BF, see Richardson RF Jr.  
 Reni L, see Abbruzzese M  
 Restuccia D, see Di Lazzaro V  
 Rex L, Claes G, Drott C, Pegenius G, Elam M: Vasomotor and sudomotor function in the hand after thoracoscopic transection of the sympathetic chain: Implications for choice of therapeutic strategy, 1486  
 Rich MM, Teener JW, Raps EC, Bird SJ: Muscle inexcitability in patients with reversible paralysis following steroids and neuromuscular blockade, 1231  
 Richard I, see Kawai H  
 Richard I, see Pénisson-Besnier I  
 Richardson RF Jr., Remler BF, Katirji B, Murad MH: Guillain-Barré syndrome after *cyclospora* infection, 669  
 Riley DA, Bain JW, Thompson JL, Fitts RH, Widrick JJ, Trappe SW, Trappe TA, Costill DL: Disproportionate loss of thin filaments in human soleus muscle after 17-day bed rest, 1280  
 Riley DA, see Macias MY  
 Ringelstein EB, see Stögbauer F  
 Rippa PG, see Santoro L  
 Rivier F, Tuffery S, Jellali AJ, Echenne B, Mornet D, Pons F: Mosaic expression of two dystrophins in a boy with progressive muscular dystrophy, 1317  
 Rivner MH, see Fisher MA  
 Rizzuto N, see Fabrizi GM  
 Road J, Eisen A: Muscle inexcitability in patients with reversible paralysis following steroids and neuromuscular blockade (reply), 1231  
 Rörich S, see Meyer B-U  
 Rösler KM, see Arányi Z  
 Robinson BH, see Tarnopolsky MA  
 Robinson L, see Dorfman L  
 Robinson LR, Mickleson PJ, Wang L: Strategies for analyzing nerve conduction data: Superiority of a summary index over single tests, 1166  
 Rocha B, see Bradley WG  
 Rocha B, see Romano JG  
 Rodriquez F, see Duarte J  
 Roeleveld K, Sandberg A, Stålberg EV, Stegeman DF: Motor unit size estimation of enlarged motor units with surface electromyography, 878  
 Rollnik JD, see Schubert M  
 Romaniello A, see Cruicu G  
 Romaniuk JR, see Lin VW  
 Romano JG, Rotta FT, Potter P, Rosenfeld V, Santibanez R, Rocha B, Bradley WG: Relapses in the Guillain-Barré Syndrome after treatment with intravenous immune globulin or plasma exchange, 1327  
 Romeo S, Berardelli A, Pedace F, Inghilleri M, Giovannelli M, Manfredi M: Cortical excitability in patients with essential tremor, 1304  
 Romero C, see Noguez MA  
 Ronthal M, see Rutkove SB  
 Rose MR, Griggs RC: Case of the month: An unusual cause of quadriceps atrophy, 233  
 Rosenblatt JD, see Bockhold KJ  
 Rosenfeld V, see Romano JG  
 Ross M, see Shields RK  
 Rossi B, see Chisari C

Rossi B, see Pedrinelli R  
 Rossini D, see Midrio  
 Rostas JAP, see Wang X  
 Roth BJ, see Panizza M  
 Rothwell JC, see Di Lazzaro V  
 Rotta FT, see Romano JG  
 Roudaut C, see Kawai H  
 Rouger K, see Louboutin J-P  
 Rowińska-Marcińska K, see Zalewska E  
 Roy RR, see Grossman EJ  
 Roy RR, Talmadge RJ, Hodgson JA, Zhong H, Baldwin KM, Edgerton VR: Training effects on soleus of cats spinal cord transected (T12-13) as Adults, 63  
 Rüdel R, see Deymeer F  
 Rüdel R, see Wagner S  
 Ruggieri S, see Mercuri B  
 Rugiero M, see Koffman BM  
 Russ DW, see Binder-MacLeod SA  
 Rutchik JS, Rutkove SB: Effect of temperature on motor responses in organophosphate intoxication, 958  
 Rutkove SB, Raynor EM: Colchicine-induced myopathy with myotonia (reply), 551  
 Rutkove SB, see Nardin RA  
 Rutkove SB, see Rutchik JS  
 Rutkove SB, Shefner JM, Wang AK, Ronthal M, Raynor EM: High-temperature repetitive nerve stimulation in myasthenia gravis, 1414

## S

Saadat K, Kaminski H: Ritonavir-associated myasthenia gravis, 680  
 Sánchez F, see Murga L  
 Sabin TD, see Costas PD  
 Saito K, see Utsugisawa K  
 Saito T, see Ito H  
 Sakai J, Hormou O, Kocsis JD, Hashi K: The delayed depolarization in rat cutaneous afferent axons is reduced following nerve transection and ligation, but not crush: Implications for injury-induced axonal Na<sup>+</sup> channel reorganization, 1040  
 Sakurai Y, Mannen T, Kurunoki S: Acute isolated ophthalmoplegia as a variant of Miller-Fisher syndrome, 1107  
 Salas E, see Noguez MA  
 Salerno DF, Franzblau A, Werner RA, Bromberg MB, Armstrong TJ, Albers JW: Median and ulnar nerve conduction studies among workers: Normative values, 999  
 Salmons S, see Sutherland H  
 Salvatore F, see Santoro L  
 Salvetti M, see Antonini G  
 Samii A, Lopez-Devine J, Wasserman EM, Dalakas MC, Clark K, Grafman J, Hallett M: Normal postexercise facilitation and depression of motor evoked potentials in postpolio patients, 948  
 Samii A, Luciano CA, Dambrosia JM, Hallett M: Central motor conduction time: Reproducibility and discomfort of different methods, 1445

Sandberg A, see Grimby G  
 Sandberg A, see Roelvelde K  
 Sander HW, Quinto C, Chokroverty S: Collision technique in Martin-Gruber anastomosis (reply), 1354  
 Sander HW, Quinto C, Chokroverty S: Accessory deep peroneal neuropathy: Collision technique diagnosis, 121  
 Sander S, Nicholson GA, Ouvrier RA, McLeod JG, Pollard JD: Charcot-Marie-Tooth disease: Histopathological features of the peripheral myelin protein (PMP22) duplication (CMT1A) and connexin32 mutations (CMTX1), 217  
 Sanger JR, see Macias MY  
 Santibanez R, see Romano JG  
 Santorelli FM, Casali C: Genetic Heterogeneity of myoclonus epilepsy with ragged-red fibers syndrome, 681  
 Santoro L, Pastore L, Ripa PG, Orsini AVM, Del Giudice E, Vita G, Frisso G, Salvatore F: Dystrophinopathy in a young boy with Klinefelter's syndrome, 792  
 Satkunam LE, see Ashworth NL  
 Scafoli V, see Pareyson D  
 Scelsa SN, Herskovitz S, Reichler B: Treatment of mononeuropathy multiplex in hepatitis C virus and cryoglobulinemia, 1526  
 Schachner M, see Novakovic SD  
 Schaller M-D, see Kuntzer T  
 Schatzberg SJ, Anderson LVB, Wilton SD, Kornegay JN, Mann CJ, Solomon GG, Sharp NJH: Alternative dystrophin gene transcripts in golden retriever muscular dystrophy, 991  
 Scheindlin B, see Swoboda KJ  
 Schleithoff L, see Deymeer F  
 Schleithoff L, see Wagner S  
 Schmitt R, see Meyer B-U  
 Schochet S, see Blumenthal D  
 Schols L, see Amoridis G  
 Schomburg ED, see Ellrich J  
 Schon EA, see Sciacco M  
 Schrank B, see Giess R  
 Schrier RW, see Cohen JA  
 Schubert M, Wohlfarth K, Rollnik JD, Dengler R: Walking and fatigue in multiple sclerosis: The role of the corticospinal system, 1068  
 Schwartz MS, Chan T-P: Carpal tunnel syndrome: Age as an important factor, 829  
 Sciacco M, Gasparo-Rippa P, Vu TH, Tanji K, Shanske S, Mendell JR, Schon EA, DiMauro S, Bonilla E: Study of mitochondrial DNA depletion in muscle by single-fiber polymerase chain reaction, 1374  
 Scimemi A, see Pellegrino M  
 Scutter SD, Türker KS: Recruitment stability in masseter moter units during isometric voluntary contractions, 1290  
 Seckel BR, see Costas PD  
 Sejersted OM, see Skeie GO  
 Senba E, see Kami K  
 Sendtner M, see Giess R  
 Serdaroğlu P, see Deymeer F  
 Serdaroğlu P, see Wagner S

Serdaroğlu P, see Deymeer F  
 Seror P: Orthodromic inching test in mild carpal tunnel syndrome, 1206  
 Serra J, see Compero M  
 Servidei S, see Di Lazzaro V  
 Sghirlanzoni A, see Pareyson D  
 Shaffer M, see Vandenberg K  
 Shambal S, Lindner A, Zierz S: Successful treatment of orbital myositis with intravenous immunoglobulins, 1359  
 Shahani BT, see Yan K  
 Shahani BT, see Yan K  
 Shanske S, see Sciacco M  
 Shapiro C, see Walk D  
 Shapshak P, see Bradley WG  
 Sharif AA, see David WS  
 Sharp NJH, see Schatzberg SJ  
 Shefner JM, see Rutkove SB  
 Shelton GD, Nyhan WL, Kass PH, Barshop BA, Hass RH: Analysis of organic acids, amino acids, and carnitine in dogs with lipid storage myopathy, 1202  
 Shelton GD, see Podell M  
 Shenoi S, see Liberona JL  
 Shi F-D, Bai X-F, Li H-L, Link H: Macrophage apoptosis in muscle tissue in experimental autoimmune myasthenia gravis, 1071  
 Shibuya S, Wakayama Y, Murahashi M: Benign adult-onset focal myositis confined to the calf muscles, 260  
 Shields RK, Chang Y-J, Ross M: Neuromuscular propagation after fatiguing contractions of the paralyzed soleus muscle in humans, 776  
 Shimizu Y, see Wakutani Y  
 Shoji S, see Odawara M  
 Shrager P, see Novakovic SD  
 Siciliano G, see Pedrinelli R  
 Siddiqui MF, Bertorini TE: Hypophosphatemia-induced neuropathy: Clinical and electrophysiologic findings, 650  
 Siebner HR, Dressnandt J, Auer C, Conrad B: Continuous intrathecal baclofen infusions induced a marked increase of the transcranially evoked silent period in a patient with generalized dystonia, 1209  
 Sieck GC, see Prakash YS  
 Silber E, Lane RJM, Hopkinson NS: Demyelinating polyneuropathy in a patient with chronic myeloid leukemia, 974  
 Simonati A, see Fabrizi GM  
 Simone P, see Annesse V  
 Simonetti S, Dahl K, Krarup C: Different indentation velocities activate different populations of mechanoreceptors in humans, 858  
 Siregar NC, Jean-François B, Blok RB, Byrne E: Genotypic and phenotypic changes in exhaustively grown cell lines from mitochondrial cytopathy patients, 599  
 Skeie GO, Lunde PK, Sejersted OM, Mygland Å, Aarli JA, Gilhus NE: Myasthenia gravis sera containing antiryanodine receptor antibodies

- inhibit binding of [ $^3$ H]-ryanodine to sarcoplasmic reticulum, 329
- Smith DB, Housh TJ, Johnson GO, Evetovich TK, Ebersole KT, Perry SR: Mechanomyographic and electromyographic responses to eccentric and concentric isokinetic muscle actions of the biceps brachii, 1438
- Smith S, see Vedanarayanan VV
- Sobue G, see Mizuno K
- Solari A, see Pareyson D
- Solomon GG, see Schatzberg SJ
- Sommer C, see Bergmann I
- Son A, see Wakutani Y
- Soudant J, see Tankéré F
- Sripathi N, see Khwaja S
- Stålberg EV, see Roeleveld K
- Stålberg E, see Andersen H
- Stålberg, E, see Grimby G
- Stanco AM, Werle MJ: Agrin and acetylcholine receptor distribution following electrical stimulation, 407
- Stashuk D, see Conwit RA
- Stashuk DW, see Chang KM
- Stedman A, Davey NJ, Ellaway PH: Facilitation of human first dorsal interosseous muscle responses to transcranial magnetic stimulation during voluntary contraction of the contralateral homonymous muscle, 1033
- Steffens H, see Ellrich J
- Stegeman DF, see Dumitru D
- Stegeman DF, see Roeleveld K
- Stegeman DF, see van Dijk
- Steinbach LS: Musculoskeletal Imaging: Diagnostic and Therapeutic Procedures, 1814-B
- Stewart H, see Nakajima M
- Stewart JD, see Bartlett G
- Stewart R, see Bradley WG
- Stijl M, see Dunnnewold RJW
- Stittsworth JD, see Wilson JR
- Stögbauer F, Yound P, Funke H: Familial autosomal-dominant carpal tunnel syndrome presenting in a 5-year-old case, 551
- Stögbauer F, Young P, Kerschensteiner M, Ringelstein EB, Assmann G, Funke H: Recurrent brachial plexus palsies as the only clinical expression of hereditary neuropathy with liability to pressure palsies associated with *de novo* deletion of the peripheral myelin protein-22 gene, 1199
- Stokic DS, see Leis AA
- Stoll G, Gabreëls-Festen AAWM, Jander S, Müller, H-W, Hanemann CO: Major histocompatibility complex class II expression and macrophage responses in genetically proven Charcot-Marie-Tooth type 1 and hereditary neuropathy with liability to pressure palsies, 1419
- Stolov WC, see Kraft GH
- Strong MJ, see Maher J
- Sturenburg HJ, Kunze K: Tissue concentrations of nerve growth factor in aging rat heart and skeletal muscle, 404
- Sugihara R, see Kumamoto T
- Sugimoto A, see Sugimoto S
- Sugimoto S, Sugimoto A, Ohi T, Matsukura S, Narrom M: F-wave elicitable minimum nerve conduction velocity, 828
- Suh Y-H, see Sung J-J
- Sumner AJ, see Chang AP
- Sung J-J, Kim SJ, Lee HB, Chung J-M, Choi YM, Cha CI, Suh Y-H, Lee K-W: Anticholinesterase induces nicotinic receptor modulation, 1135
- Sunnerhagen K, see Grimby G
- Sutherland H, Jarvis JC, Kwende MMN, Gilroy SJ, Salmons S: The dose-related response of rabbit fast muscle to long-term low-frequency stimulation, 1632
- Svensson P, Graven-Nielsen T, Matre D, Arendt-Nielsen L: Experimental muscle pain does not cause long-lasting increases in resting electromyographic activity, 1382
- Swash M, see de Carvalho M
- Swoboda KJ, Engle EC, Scheindlin B, Anthony DC, Jones HR: Case of the month: Mutilating hand syndrome in an infant with familial carpal tunnel syndrome, 104
- Syed NA, see Manconi FM
- Szalai JP, see Munro CA
- Szczepanowska J, Borovikov YS, Jakubiec-Puka A: Effects of denervation and muscle inactivity on the organization of F-actin, 309
- T**
- Tahernia D, see Vandenberg K
- Taioli F, see Fabrizi GM
- Taivassalo T, see Argov Z
- Takamori M, see Iwasa K
- Takano H, see Nakatoh S
- Talmadge RJ, see Grossman EJ
- Talmadge RJ, see Roy RR
- Tamaoka A, see Odawara M
- Tamblyn R, see Bartlett G
- Tanaka R, see Ikeda Y
- Tanaka R, see Kagamiyama Y
- Tang ATM, Hasleton PS, Reid H, Hooper TL: Quantification of early damage in latissimus dorsi muscle grafts, 1451
- Tanji K, see Sciacco M
- Tankéré F, Maisonneuve T, Lamas G, Soudant J, Bouche P, Fournier E, Willer JC: Electrophysiological determination of the site involved in generating abnormal muscle responses in hemifacial spasm, 1013
- Tarnopolsky MA, Maguire J, Myint T, Applegarth D, Robinson BH: Clinical, physiological, and histological features in a kindred with the T3271C melas mutation, 25
- Taroni F, see Pareyson D
- Teener JW, see Rich MM
- ter Brugge JP, van der Menché FGA, de Jager AEJ, Polman CH: Ophthalmoplegic and lower cranial nerve variants merge into each other and into classical guillain-Barré syndrome, 239
- Teriz S, Paschalis C, Metallinos IC, Papapetropoulos T: Early diagnosis of carpal tunnel syndrome: Comparison of sensory conduction studies of four fingers, 1543
- Thompson JL, see Riley DA
- Todoroff BP, see Rab M
- Tohgi H, see Utsugisawa K
- Tokunaga M, see Mita S
- Tonali P, see Di Lazzaro V
- Tonali P, see Padua L
- Tonra JR, see Cliffer KD
- Toscano A, see Tuccari G
- Tournebise P, see Fauchoux JM
- Toyka K, see Giess R
- Toyokura M: F-wave-duration in diabetic polyneuropathy, 246
- Tracy B, see Conwit RA
- Trappe SW, see Riley DA
- Trappe TA, see Riley DA
- Trautinger F, see Muellbacher W
- Treede R-D, see Ellrich J
- Tremblay JP, see Ito H
- Tremblay JP, see Kinoshita I
- Tremblay JP, see Vilquin J-T, 567
- Triggs WJ, see Young MS
- Trojaborg W: Reply by Dr. W. Trojaborg, 1809
- Trojaborg W: The concentric versus the monopolar needle electrode: The case for concentric needles, 1807
- Trontelj JV, see Al-shubaili AF
- Trontelj JV, see Khurabiet AJ
- Tsubahara A, see Izumi S-I
- Tsuda K, see Osaki Y
- Tsuda T, see Ito H
- Tsuda T, see Kumamoto T
- Tsuji H, see Nakatoh S
- Türker KS, see Scutter SD
- Tuffery S, see Rivier F
- Tuccari G, Giuffrè, Monica MC, Toscano A, Vita G: Nucleolar argyrophilic proteins in dystrophin-deficient muscles, 830
- U**
- Uchino M, see Mita S
- Uekawa K, see Mita S
- Ueyama H, see Kumamoto T
- Uludag B, see Ertaş M
- Utsugisawa K, Tohgi H, Nagane Y, Yamagata M, Saito K, Mihara M: Familial amyloid polyneuropathy related to transthyretin mutation val30 to leu in a Japanese family, 1783
- Uyama E, see Mita S
- V**
- v Heel MD, see Kuypers PDL
- Vacca L, see Mercuri B
- Vacca L, see Modugno N
- Valls-Sole J, see Pastor P
- Valls-Sole J, Hallett M, Brasil-Neto J: Modulation of vastus medialis motoneuronal excitability by sciatic nerve afferents, 936
- van Briemen LJ, see Kuypers PDL

van Briemen LJ, see Kuypers PDL  
 van den Bergh G, Operti M-G  
 van den Brink AM, see Dunnewold RJW  
 van der Hoeven J, see Links TP  
 van der Hoeven J, see van Dijk JG  
 van der Kamp W, see Dunnewold RJW  
 van der Kooij AJ, Ginjaar HB, Busch HFM, Wokke JHJ, Barth PG, de Visser M: Limb girdle muscular dystrophy: A pathological and immunohistochemical reevaluation, 584  
 van der Menché FGA, see ter Brugge JP  
 van der Ree TC, see de Jager AEJ  
 van der Vliet TM, see de Jager AEJ  
 van Dijk G, see Dunnewold RJW  
 van Dijk JG, Malessy MJA, Stegeman DF: Why is the electromyogram in obstetric brachial plexus lesions overly optimistic?, 260  
 van Dijk JG, van der Hoeven J: Compound muscle action potential cartography of an accessory peroneal nerve, 1331  
 van Egeraat JM, see Kuypers PDL  
 Vandenborne K, Elliot MA, Walter GA, Abdus S, Okereke E, Shaffer M, Tahernia D, Esterhai JL: Longitudinal study of skeletal muscle adaptations during immobilization and rehabilitation, 1006  
 Vasconcelos O, see Campbell WW  
 Vedanarayanan VV, Smith S, Subramony SH, Bock GO, Evans OB: Lethal neonatal autosomal recessive axonal sensorimotor polyneuropathy, 1473  
 Verghese J: The snake that bit the hand that fed it, 259  
 Viguier A, see Fauchoux JM  
 Villanova M, see Louboutin J-P  
 Vilquin J-T, Brussee V, Asselin I, Kinoshita I, Gingras M, Tremblay JP: Evidence of *mdx* mouse skeletal muscle fragility in vivo by eccentric running exercise, 567  
 Vilquin JT, see Kinoshita I  
 Vincent A, see Maddison P  
 Vincent M-F, see Operti M-G  
 Vita G, see Santoro L  
 Vita G, see Tuccari G  
 Vu TH, see Sciacco M  
 Vuadens P, see Kuntzer T

## W

Wade JA, see Evans PJ  
 Wagner S, Deymeer F, Kürz LL, Benz S, Schleithoff L, Lehmann-Horn F, Serdaroglu P, Özdemir C, Rüdel R: The

dominant chloride channel mutant G200R causing fluctuating myotonia: Clinical findings, electrophysiology, and channel pathology, 1122  
 Wahl B, see Awiszus F  
 Wakayama Y, see Shibuya S  
 Wakutani Y, Matsushima E, Son a, Shimizu Y, Goto Y, Ishida H: Myasthenialike syndrome due to adverse effects of cibenzoline in a patient with chronic renal failure, 416  
 Walk D, Handelsman A, Beckmann E, Kozloff M, Shapiro C: Case of the month: Mononeuropathy multiplex due to infiltration of lymphoma in hematologic remission, 823  
 Walker CH, see Kent-Braun JA  
 Walsh SA, see Wineinger MA  
 Walter GA, see Vandenborne K  
 Wang A, Jankovic J: Hemifacial spasm: Clinical findings and treatment, 1740  
 Wang AK, see Rutkove SB  
 Wang K-K, see Costas PD  
 Wang L, see Robinson LR  
 Wang X, Rostas JAP: Protein phosphorylation in fast and slow chicken skeletal muscles: Effect of denervation, 504  
 Warren WM, see Cooper RL  
 Wasserman EM, see Samii A  
 Watanabe O, Maruyama I, Arimura K, Kitajima I, Arimura H, Hanatani M, Matsuo K, Arisato T, Osame M: Overproduction of vascular endothelial growth factor/vascular permeability factor is causative in Crow-Fukase (POEMS) syndrome, 1390  
 Weiner MW, see Kent-Braun JA  
 Weintraub ME: Noninvasive laser neurolysis in carpal tunnel syndrome (reply), 1233  
 Werle MJ, see Stanco AM  
 Werner RA, see Salerno DF  
 Widrick JJ, see Riley DA  
 Wilbourn AJ, Aminoff MJ: AAEM minimonograph 32: The electrodiagnostic examination in patients with radiculopathies, 1612  
 Wilbourn AJ, see Krivickas LS  
 Willer JC, see Tankéré F  
 Williams DA, see Menkes DL  
 Willick SE, Margherita AJ, Carter GT: Isolated superior gluteal nerve injury: Two case reports, 951  
 Wilson JR, Stittsworth JD, Kadir A, Fisher MA: Conduction velocity versus amplitude analysis: Evidence for demyelination in diabetic neuropathy, 1228

Wilton SD, see Schatzberg SJ  
 Wineinger MA, Walsh SA, Abresch RT: The effect of age and temperature on MDX muscle fatigue, 1075  
 Wintzen AR, see Links TP  
 Wohlfarth K, see Schubert M  
 Wohrle J, see Amoiridis G  
 Wokke JHJ, see van der Kooij AJ  
 Wu PBJ, Neff J, Kingery WS, Date ES: Conduction velocity is inversely related to axonal length in the median sensory nerve, 262

## Y

Yaar I: Abnormative Data (Reply), 1234  
 Yamagata M, see Utsugisawa K  
 Yamamoto M, see Mizuno K  
 Yamashita K, see Odawara M  
 Yan H, see O'Shaughnessy TJ  
 Yan K, Fang J, Shahani BT: An assessment of motor unit discharge patterns in stroke patients using a surface electromyographic technique, 946  
 Yan K, Fang J, Shahani BT: Motor unit discharge behavior in stroke patients, 1502  
 Yang CC, Bradley WE: Innervation of the human anterior urethra by the dorsal nerve of the penis, 514  
 Yang L, Luo J, Petrof BJ: Corticosteroid therapy does not alter the threshold for contraction-induced injury in dystrophic (*mdx*) mouse diaphragm, 394  
 Yazici J, see Deymeer F  
 Yee W-C, see Lopate G  
 Yokoyama Y-I, see Osaki Y  
 Yoshida M, see Ozawa E  
 Younes-Chennoufi AB, see Chassande B  
 Young MS, Triggs WJ: Effect of stimulator orientation on F-wave persistence, 1324  
 Young P, see Stögbauer F

## Z

Zalewska E, Rowińska-Marcinińska K, Hausmanowa-Petrusewicz I: Shape irregularity of motor unit potentials in some neuromuscular disorders, 1181  
 Zhang J, Dhoot GK: Localized and limited changes in the expression of myosin heavy chains in injured skeletal muscle fibers being repaired, 469  
 Zhong H, see Grossman EJ  
 Zhong H, see Roy RR  
 Zidar J, see Liscic RM  
 Zierz S, see Shambal S  
 Zilko P, see Phillips BA



# MUSCLE & NERVE



Official Journal of the American Association of Electrodiagnostic Medicine

## SUBJECT INDEX TO VOLUME 21

### A

Abandoned synaptic sites, 407  
Abdomen, 1800  
Abnormal cross-transmission, 1013  
Abnormal muscle response, 1013  
Acetylcholine receptor, 407, 1299  
Acetylcholinesterase, 1135  
Acid maltase deficiency, 398  
Actin, 1280  
Actin conformation, 309  
Actin filament, 309  
Activation, 762  
Acute paralytic poliomyelitis, 540  
Adenylosuccinate lyase, 401  
Adenylosuccinate synthetase, 401  
Adhalin, 1549  
Adult Pompe's disease, 398  
Age, 367, 711, 1347  
Aging, 173, 404, 536, 1265, 1729  
Agrin, 407  
AIDS, 1188  
Airway pressure, 1048  
Alopecia universalis, 124  
Alpha-interferon, 1526  
 $\alpha$ -sarcoglycan, 769, 1549  
Alternative splicing, 991  
Amplitude, 34  
Amyotrophic lateral sclerosis, 18, 81, 236, 336, 756, 1228, 1692, 1714, 1775  
Anabolic steroids, 809  
Anomalous innervation, 1331  
Antigangliosides, 813  
Anti-Hu antibodies, 850  
Anti-MAG antibodies, 55  
Antisulfatide antibodies, 55  
Anti-Yo, 943  
Anxiety, 533  
Any willing provider, 250  
Apoptosis, 1071  
Arthroplasty, 519  
Atrophy, 375, 1280  
Augmentation, 1196  
Autoantibody, 115, 672  
Autoimmune disorders, 115, 669  
Autoimmunity, 1299, 1655  
Autonomic nervous system, 34, 940  
Autonomic testing, 72  
Autophagic vacuoles, 665  
Axon, 137, 1019, 1040, 1748  
Axonal degeneration, 1188  
Axonal excitability, 461  
Axonal polyneuropathy, 1473  
Axotomy, 1748

### B

Basic fibroblast growth factor, 1153  
Becker muscular dystrophy, 211, 1317  
 $\beta$ -galactosidase, 567  
Blepharospasm, 1740  
Bodybuilding, 809  
Body mass index, 1398  
Botulinum toxin, 643, 653, 1540, 1701, 1740, 1790  
Botulism, 701  
Bulbocavernosus reflex, 514  
Bupivacaine, 1265

### C

$\text{Ca}^{2+}$  ATPase, 547  
Calcinosis, 1800  
Calcium, 1530  
Calcium-activated potassium channel, 1465  
Calcium channels, 81, 902  
Calcium ion, 1196, 1797  
Calcium release channel, 361  
Calmodulin, 504  
Calpain, 1078  
Calpain 3 gene, 1493  
Canine, 653, 1202  
Carbonic anhydrase, 1748  
Cardiomyoplasty, 1632  
Carnitine, 1202  
Carpal tunnel syndrome, 104, 711, 999, 1089, 1166, 1213, 1543, 1554  
Catchlike property, 1145  
Cell culture, 173  
Central motor conduction, 1220, 1445  
Cervical muscles, 1457  
Cervical radiculopathy, 640  
Cervical rib, 1129  
Cervical spondylosis, 1220  
Channelopathies, 1334  
Charcot-Marie-Tooth disease, 217, 788  
Charcot-Marie-Tooth type 1 neuropathy, 869  
Chloride, 1122  
Chloroquine myopathy, 665  
Cholinesterase, 1748  
Chronic inflammatory demyelinating polyneuropathy, 1228  
Chronic inflammatory demyelinating polyradiculoneuropathy (CIPD), 124, 454, 805  
Chronic stimulation, 1632

Ciliary neurotrophic factor, 236  
Circadian variation, 345  
Clathrin, 665  
*CLCN1* gene, 1122  
Clinical trials, 762, 1368  
*Clostridium botulinum*, 701  
Cluster formation, 217  
Coated vesicle, 665  
Cocontraction, 1706  
Collision technique, 121  
Complement regulatory proteins, 932  
Compound motor action potential, 954, 1775  
Compound muscle action potential cartography, 1331  
Computed tomography sum score, 398  
Computer modeling, 1759  
Computer simulation, 628  
Concanavalin A, 291  
Conduction block, 243, 298, 813, 964, 985, 1084  
Confocal microscopy, 887  
Congenital muscular dystrophy, 40  
Congenital myopathy, 401  
Connexin32, 217  
Continuous muscle fiber activity, 643  
Contractile properties, 63, 1530  
Cortical inhibition, 1209  
Cortical stimulation, 936  
Corticobulbar tract jitter, 561  
Corticomotoneuron, 18  
Costameres, 211  
Cramp fasciculation syndrome, 802  
Cranial nerves, 239 *see individual nerves*  
Crayfish, 921  
Creatine kinase, 567  
Critical illness, 610  
Crow-Fukase syndrome, 1390  
Cryoglobulinemia, 1526  
Cutaneomuscular reflex, 591  
Cutaneous silent period, 1213  
Cutaneous stimulation, 1256  
Cyclic adenosine monophosphate, 504  
*Cyclospora*, 669  
Cyclosporin, 454  
Cytokine, 1390, 1507

### D

Dantrolene sodium, 1797  
Decremental response, 1414  
Demyelinating neuropathy, 243, 850  
Demyelination, 298, 964, 1275, 1769

Depletion, 40  
 Dermatomyositis, 1668, 1800  
 Descending paralysis, 701  
 Desmin, 173  
 Development, 1058, 1344  
 Developmental myosin, 1153  
 Diabetes, 72  
 Diabetic autonomic neuropathy, 72  
 Diabetic neuropathy, 72, 1228, 1246, 1368, 1647  
 Diabetic polyneuropathy, 246, 1673  
 Diaphragm, 954  
 Diltiazem, 1800  
 Disability status, 454  
 Discomfort, 1445  
 Disease expression, 599  
 Distal segment, 750  
 Disuse, 1006  
 DMSO, 531  
 DNA diagnosis, 1783  
 Dorsal nerve of the penis, 514  
 Dorsal root ganglion, 3  
 Dorsoscapular nerve, 809  
 Doublets, 1145  
 Duchenne and Duchenne-like muscular dystrophy, 173, 291, 394, 421, 536, 662, 902, 991, 1549, 1772  
 Dystonia, 1209, 1740  
 Dystrophic alterations, 543  
 Dystrophin, 91, 211, 991, 1075, 1317  
 Dystrophin-associated proteins, 421  
 Dystrophinopathy, 421

## E

Eccentric contractions, 394, 961  
 Eccentric exercise, 567  
 Eccentric muscle action, 1438  
 Ectopic discharges, 461  
 Ectopic generation, 1661  
 Ejaculation, 514  
 Electrode site, 1779  
 Electrode size, 1779  
 Electromyography, 3, 18, 121, 184, 336, 345, 533, 610, 640, 653, 762, 776, 809, 954, 961, 985, 1220, 1224, 1290, 1350, 1382, 1438, 1612, 1673, 1797, 1804  
 Electron microscopy, 1280  
 Electrophysiologic studies, 1543  
 Electrophysiology, 243, 577, 839, 1095, 1275, 1368  
 Elongated C7 transverse process, 1129  
 EMG signal decomposition, 1338  
 End-plate potential, 628  
 Endoscopy, 1486  
 Endurance, 1729  
 Enlargement, 40  
 Entrapment, 951  
 Entrapment neuropathy, 813  
 EPSP, 18  
 Erythrocyte, 1465  
 Esophageal achalasia, 1546  
 Esophagus, 802  
 Essential tremor, 796, 1304, 1701  
 Evaluation of nerve reconstruction, 750  
 Evoked potentials, 1612  
 Evoked transmitter release, 81  
 Excitability, 1692  
 Excitation-contraction coupling, 361  
 Exercise, 63, 961

Exercise intolerance, 401  
 Exon skipping, 991  
 Experimental allergic encephalomyelitis, 940  
 Experimental allergic neuritis, 1019  
 Experimental autoimmune myasthenia gravis, 1071  
 Expired volume, 1048  
 Extensor digitorum communis, 1081  
 Extensor digitorum longus, 1075  
 Extrapyramidal system, 722

## F

F wave, 246, 732, 756, 985, 1098, 1324  
 F-wave utility, 1098  
 Facilitation, 1033, 1309  
 Facioscapulohumeral muscular dystrophy, 788  
 Familial, 104  
 Familial amyloid polyneuropathy, 1478, 1783  
 Familial amyloidosis, 1533  
 Familial carpal tunnel syndrome, 1533  
 Fasciculations, 336, 533  
 Fast-adapting mechanoreceptors, 858  
 Fast-twitch, 1075  
 Fatigue, 63, 547, 762, 1068, 1075, 1265, 1729  
 Feline immunodeficiency virus, 1680  
 Femoral neuropathy, 823  
 Fiber cross-sectional area, 375  
 Fiber density, 1647  
 Fiber type, 776  
 Fiber type composition, 375  
 Fiber type distribution, 1058  
 Fibrillation potential, 1347, 1759, 1797  
 Fibrolipomatous hamartoma, 656  
 Figure 8 magnetic coil, 722, 1172  
 Firing rates and force generation, 1338  
 Flexor digiti minimi muscle, 112  
 Flexor reflex, 166, 591  
 Fluctuations, 1122  
 Fluorescent tracer, 531  
 Focal dystonia, 1457  
 Foot pain, 528  
 Force, 536, 653  
 Force enhancement, 1546  
 Forearm muscle weakness, 659  
 Fractional process, 1502  
 Freeze thawing, 1507  
 Friedrich ataxia, 390  
 Functional electrical stimulation, 1145  
 Functional recovery, 750

## G

GAA triplet repeat, 390  
 Ganglionopathy, 800  
 Gene therapy, 91, 159  
 Giant axonal neuropathy, 964  
 Golden retriever muscular dystrophy, 991  
 Graft length, 618  
 Guillain-Barré syndrome, 239, 669, 1275, 1327  
 Guyon's canal, 675

## H

H reflex, 352, 439, 732, 936, 985, 1256, 1405

[<sup>3</sup>H]-ryanodine binding, 329  
 Hand dominance, 711  
 Health care plan, 250  
 Heart, 8, 404  
 Heat, 1414  
 Hemifacial spasm, 1013, 1740  
 Hemorrhage, 1800  
 Hepatitis C virus, 1526  
 Hereditary motor and sensory neuropathy I, 788  
 Hereditary neuropathy, 1419, 1686  
 Hereditary neuropathy with liability to pressure palsies, 1199, 1533  
 Heterogeneity, 1199  
 Hip surgery, 519  
 Histochemistry, 1748  
 Histologic axon count, 739  
 HIV1, 1188  
 HNPP, 1686  
 Homosynaptic postactivation depression, 439  
 Human cell lines, 902  
 Human immunodeficiency virus, 1680  
 Human muscle culture, 194  
 Hyperexcitability, 802  
 Hyperhidrosis, 1486, 1790  
 Hypermyelination, 217  
 Hypomyelination, 217  
 Hypophosphatemia, 650

## I

Ia afferents, 439  
 Iatrogenic, 1794  
 Immune, 1724  
 Immunocytochemistry, 1071  
 Immunofluorescence, 1317  
 Immunoglobulin, 298  
 Immunohistochemistry, 869  
 Immunosuppression, 454  
 Immunotherapy, 1769  
 In situ hybridization, 490, 819  
 In situ tailing, 1071  
 In vitro proliferation, 599  
 Inching, 1554  
 Inclusion body myopathy, 1523  
 Inclusion body myositis, 115, 659  
 Indentation velocity, 858  
 Individual variation, 345  
 Industry, 711  
 Inferior alveolar nerve, 410  
 Inflammatory demyelinating polyneuropathy, 1673  
 Inflammatory myopathy, 1724  
 Inflammatory polyneuropathy, 239  
 Inherited neuropathy, 1533  
 Inhibition, 1256  
 Injury, 469, 1092  
 Inorganic phosphate, 1523  
 Inositol trisphosphate, 902  
 Inositol trisphosphate mass, 902  
 Insensitivity to pain, 104  
 Insertional activity, 910  
 Inspired volume, 1048  
 Intensive care, 610  
 Intercostal muscles, 1048  
 Interleukin-6, 819  
 Interlimb coordination, 591  
 Intrathecal baclofen therapy, 1209  
 Intravenous immune globulin, 1327

Ion channels, 137, 1246  
 Irony and history, 701  
 Irregularity coefficient, 1181  
 Isaacs' syndrome, 643  
 Ischemia, 1084, 1451, 1692  
 Isoform, 1390  
 Isometric contractions, 1706

## J

Jitter, 118, 482, 628

## K

Klinefelter's syndrome, 792  
 Knee joint, 1772

## L

Lactic acidemia, 1202  
 Lambert-Eaton myasthenic syndrome, 1196  
 Late responses, 1612  
 Latency, 34  
 Latissimus dorsi muscle, 1451  
 Leukemia inhibitory factor, 819  
 Limb-girdle muscular dystrophy, 769, 1078, 1493, 1549  
 Limits of symmetry, 498  
 Lingual nerve, 410  
 Lingual neuropathy, 410  
 Lipid storage, 1202  
 Lymphoma, 823  
 Lysosome, 665

## M

M-protein, 55  
 M wave, 1405  
 Macro electromyography, 878, 1428, 1647  
 Macroductyilia, 656  
 Magnetic cortical stimulation, 1779  
 Magnetic evoked potentials, 1779  
 Magnetic field shield, 1172  
 Magnetic recording, 739, 750  
 Magnetic resonance imaging, 656, 805, 1006  
 Magnetic resonance spectroscopy, 1006, 1523  
 Magnetic stimulation, 48, 662, 722, 1033, 1048, 1068, 1172, 1304  
 Major histocompatibility complex class II molecules, 1419  
 Malignant hyperthermia, 361  
 Mandibular nerve, 410, 1673  
 Manual muscle testing, 540  
 Masseter muscle, 1290, 1382  
 Masseter reflex, 800  
 Maximal voluntary contraction, 318  
 Mdx dystrophy, 394  
 Mdx mouse, 173, 291, 536, 567  
 Mean motor unit firing rate, 1338  
 Mean power frequency, 961  
 Mechanical effects, 352  
 Mechanomyography, 1438  
 Medial antebrachial cutaneous nerve, 1129  
 Medial antebrachial nerve, 647  
 Median frequency, 201  
 Median mononeuropathies, 104  
 Median nerve, 656, 711, 999  
 Medical Research Council sum score, 398  
 Megaconial myopathy, 637  
 Meissner corpuscles, 858  
 MELAS syndrome, 25  
 Membrane attack complex, 932  
 Membrane potential, 137  
 MERRF, 490  
 Methotrexate, 1724  
 Methylcobalamin, 1775  
 Mice, 1729  
 Microneurography, 461, 1661  
 Microvascular decompression, 1740  
 Mild case, 390  
 Miller-Fisher syndrome, 239  
 Mitochondria, 40, 1724  
 Mitochondrial 3271 transfer RNA mutation, 25  
 Mitochondrial cytopathies, 599  
 Mitochondrial depletion, 637  
 Mitochondrial disorders, 1523  
 Mitochondrial DNA mutations, 599  
 Mitochondrial myopathy, 25, 1374  
 Mitochondriopathy, 194  
 Molecular genetics, 1078  
 Monitoring laboratory, 1368  
 Mononeuropathy, 896, 1686, 1794  
 Mononeuropathy multiplex, 823, 1526  
 Monopolar, 1804  
 Morphometry, 618, 869, 1095, 1419  
 Mosaicism, 1317  
 Motoneuronal excitability, 732  
 Motor control, 1706  
 Motor cortex, 561, 1068, 1304  
 Motor evoked potential, 722, 948, 1033, 1309  
 Motor fibers, 48  
 Motor nerve, 1769  
 Motor neuron, 243, 839, 921  
 Motor neuron disease, 236, 943  
 Motor neuropathy, 813  
 Motor unit, 839, 878, 1537, 1714, 1804  
 Motor unit action potential, 1786  
 Motor unit action potential shape analysis, 1181  
 Motor unit counting, 1321  
 Motor unit discharge patterns, 1502  
 Motor unit estimation, 112  
 Motor unit number estimate, 756  
 Movement disorder, 1701  
 Multifidus muscle, 1350  
 Multifocal motor neuropathy, 243  
 Multifocal neuropathy, 813  
 Multiple point stimulation, 1537  
 Multiple sclerosis, 547, 940, 1068  
 Multiple tests, 1166  
 Muscle, 8, 345, 921  
 Muscle afferents, 936  
 Muscle atrophy, 233, 309, 1006, 1350  
 Muscle biopsy, 584, 1428  
 Muscle computed tomography, 398, 540  
 Muscle contraction, 318, 839, 1655  
 Muscle damage, 961  
 Muscle development, 1530  
 Muscle differentiation, 226  
 Muscle disease, 659, 1122  
 Muscle endurance, 1428  
 Muscle fatigue, 1224, 1706, 1786

Muscle fiber, 173, 567  
 Muscle fiber type, 547  
 Muscle force, 1546  
 Muscle injury, 394  
 Muscle pain, 1382  
 Muscle regeneration, 819, 1530  
 Muscle repair, 469  
 Muscle stiffness, 1224, 1772  
 Muscle strength, 1428  
 Muscle weakness, 1647  
 Muscular dystrophy, 159, 584, 788, 792, 816, 1075  
 Muscular nicotinic acetylcholine receptor, 1135  
 Mutant mitochondrial DNA, 490  
 Mutation, 236, 1493  
 Myasthenia gravis, 329, 577, 1081, 1299, 1414, 1655  
 Myelin, 1019  
 Myoadenylate deaminase, 401  
 Myoblast transplantation, 91, 291  
 Myoblasts, 194, 599  
 Myoelectric signal, 184  
 Myofilaments, 1280  
 Myogenic cells, 173  
 Myogenic regulatory genes, 1153  
 Myoglobin, 1064  
 Myokymia, 643  
 Myopathy, 194, 610, 637, 816, 932, 1202, 1216, 1680  
 Myosin, 469, 1280  
 Myosin heavy chain, 63, 226, 887  
 Myosin loss, 1216  
 Myositis, 194, 1724  
 Myotonia, 1465  
 Myotonia congenita, 1122, 1334  
 Myotonic discharge, 1759  
 Myotonic dystrophy, 8, 543  
 Myotonic phenomenon, 543  
 Myotube, 1153

## N

Na/K pump, 1786  
 N-hexane, 964  
 N line, 1216  
 Near nerve technique, 410  
 Neck pain, 640  
 Needle electrode, 910  
 Needle electromyography, 910, 1759, 1804  
 Neonatal, 1473  
 Nephrotoxicity, 454  
 Nerve activity, 226  
 Nerve block, 643  
 Nerve conduction, 640, 1089, 1166, 1228  
 Nerve conduction block, 1341  
 Nerve conduction study, 246, 498, 647, 711, 999, 1324, 1368, 1398, 1554, 1612  
 Nerve damage, 461  
 Nerve entrapment, 656  
 Nerve excitability, 137  
 Nerve grafting, 618  
 Nerve growth factor, 404, 1040  
 Nerve hypertrophy, 805  
 Nerve injury, 519, 896, 1040, 1098, 1794  
 Nerve regeneration, 739, 750, 1095  
 Nerve stimulation, 277  
 Network, 250  
 Neurapraxia, 951

Neural time constant, 48  
 Neurogenic claudication, 985  
 Neurogenic disorders, 336  
 Neuroluphmatosis, 823  
 Neuromuscular activity, 375  
 Neuromuscular junction, 81, 407, 954, 1265  
 Neuromuscular junction transmission, 118  
 Neuromuscular transmission, 887  
 Neuromyotonia, 643, 672  
 Neuropathy, 298, 650, 809, 823, 951, 1084, 1341, 1405, 1661, 1769  
 Neurophysiology, 1714  
 Neurotrophic factors, 226, 236  
 Nitric oxide synthase, 1344  
 Nitroblue tetrazolium  
   macrohistochemistry, 1451  
 Node, 1019  
 Nuclear domain, 91

## O

Obesity, 1398  
 Occupational disease, 999  
 Oculopharyngeal dystrophy, 816  
 Onion-bulb formation, 217, 805  
 Organophosphates, 954  
 Ovarian cancer, 943  
 Oxidative metabolism, 1523

## P

Pacini corpuscles, 858  
 Pain, 1661  
 Palmaris brevis, 675  
 Paralysis, 650, 653  
 Paraneoplastic, 943  
 Paraneoplastic neurological syndrome, 850  
 Paraspinal muscle, 640, 1347, 1350  
 Patient's rights, 250  
 Pectoral nerve, 809  
 Peripheral arterial disease, 201  
 Peripheral myelin protein-22, 217, 869  
 Peripheral myelin protein-22 gene deletion, 1199  
 Permalloy, 1172  
 Peroneal nerve, 121  
 Phases, 1181  
 Phasic, 921  
 Phenotype, 1078, 1199  
 Physostigmine, 1135  
 Plantar foot muscles, 732  
 Plantar neuropathy, 528  
 Plasma exchange, 1327  
 Plexopathy, 1686  
 PMP22, 1686  
 POEMS syndrome, 1390  
 Point mutation, 1783  
 Polarized fluorescence, 309  
 Poliomyelitis, 878, 1428  
 Polymerase chain reaction inhibitor, 1064  
 Polymyositis, 1549, 1668, 1680  
 Polyneuronal innervation, 1058  
 Polyneuritis cranialis, 239  
 Polyneuropathy, 610, 964, 1275, 1390, 1525  
 Positive sharp wave, 1759  
 Postexercise depression, 948

Postexercise facilitation, 948  
 Postpolio syndrome, 540, 948, 1428  
 Postsynaptic motoneuronal excitability, 439  
 Posttetanic facilitation, 701  
 Potentiation, 1786  
 Presynaptic inhibition, 936, 1701  
 Proliferation, 1153  
 Protease, 1493  
 Protein kinase, 8, 504  
 Protein phosphorylation, 504  
 Proximal segment, 739  
 Psoas muscle, 1058  
 Pyridostigmine, 1135

## Q

QT interval, 940  
 Quadriceps, 936  
 Quadriceps rupture, 233  
 Quantal content, 81  
 Quantitative electromyography, 1181

## R

Radiculopathy, 3, 1098, 1347, 1350, 1612  
 Ragged-red fibers, 490  
 Rat, 482, 722, 1058  
 Receptor modulation, 1135  
 Recessive generalized myotonia, 1334  
 Reciprocal inhibition, 796, 936, 1701  
 Recovery curve, 352  
 Recruitment, 1290  
 Reflex control, 1546  
 Refractory period, 954  
 Relapse frequency, 1668  
 Relapses, 1327  
 Repeatability, 184  
 Repetitive nerve stimulation, 1334, 1537  
 Repetitive stimulation, 1414  
 Reproducibility, 1331, 1445  
 Respiratory failure, 1473  
 Retrograde axonal flow, 531  
 Root stimulation, 298, 1612  
 Ross syndrome, 1790  
 Ryanodine receptor, 1299, 1655  
 Ryanodine receptor antibodies, 329

## S

S-protein, 932  
 Safety factor, 482, 628  
 Sarcoglycan, 584  
 Sarcoglycan complex, 421, 769  
 Sarcoglycanopathy, 421  
 Sarcolemma, 211  
 Sarcolemmal excitability, 543  
 Sarcoplasmic reticulum, 329, 361  
 Satellite cells, 469  
 Schwann cell, 1019, 1507  
 Sciatic schwannoma, 528  
 Segmental demyelination, 1188  
 Selenium, 40  
 Selenium deficiency, 637  
 Senescence, 887  
 Sensory thresholds, 367  
 Septicemia, 672  
 Serial correlation coefficient, 1502

17p11.2p12 duplication, 869  
 Silent period, 1209  
 Single axons, 48  
 Single-fiber electromyography, 118, 482, 628  
 Single-fiber polymerase chain reaction, 490, 1374  
 Single motor unit, 561, 946, 1290  
 Single muscle fiber, 910  
 Size, 878  
 Skeletal muscle, 361, 404, 504, 1280, 1344, 1457, 1632, 1729  
 Skeletal muscle fiber type, 201  
 Skin blood flow, 1486  
 Skin temperature, 34  
 Sodium channel, 1019, 1040  
 Somatic mosaicism, 390  
 Somatosensory evoked potentials, 277  
 Spasmodic torticollis, 1457  
 Spasticity, 352  
 Spinal abscess, 672  
 Spinal column, 1347  
 Spinal cord, 591  
 Spinal cord injury, 63, 166, 776, 1220, 1321  
 Spinal cord interneurons, 1256  
 Spinal cord isolation, 375  
 Spinal cord transection, 63  
 Spinal excitability, 796  
 Spinal potentials, 277  
 Sports, 1092  
 Steinert disease, 1465  
 Stiffness, 536  
 Stimulation single-fiber electromyography, 118, 1081  
 Strength testing, 659  
 Stretch reflex, 1224, 1546  
 Stroke, 1502  
 Subacute combined degeneration, 1341  
 Sucrose gap recordings, 1040  
 Sudomotor function, 1486  
 Superior gluteal nerve, 951  
 Superior gluteal neuropathy, 1794  
 Suprascapular nerve, 809  
 Sural nerve, 390, 1419  
 Surface electromyographic recording, 946  
 Surface electromyography, 201, 543, 878, 1706  
 Surface stimulation, 118  
 Sweat gland innervation, 1790  
 Swimming, 1729  
 Symmetry, 498  
 Sympathectomy, 1486  
 Sympathetic skin response, 34  
 Sympathicotomy, 1486

## T

Target muscle, 618  
 Tarsal tunnel, 528  
 Task dependency, 1309  
 Taste, 124  
 T cells, 850  
 Temperature, 954, 1089  
 Temperature effects, 1414  
 Tendon force, 1546  
 Test reflex size, 352  
 Tetraplegia, 1321  
 Thenar muscle atrophy, 1129  
 Therapy, 1668, 1775



Thermal sensation, 367  
*Thermus aquaticus* polymerase, 1064  
*Thermus thermophilus* polymerase, 1064  
 Thoracic outlet syndrome, 647, 1129  
 Thoracodorsal nerve, 809  
 3,4-diaminopyridine, 1196  
 Threshold, 1632  
 Threshold electrotonus, 137  
 Thymoma, 329, 1299, 1655  
 Tibialis anterior muscle, 1382  
 Titin, 1216  
 Torque, 1438  
 Total parenteral nutrition, 637  
 Transcranial magnetic stimulation, 948, 1209, 1256, 1445  
 Transcranial stimulation, 561  
 Transcutaneous access, 531  
 Transcutaneous electrical nerve stimulation, 166  
 Transformation, 1632  
 Transgenic mouse, 91, 291  
 Transient weakness, 1334  
 Transplantation, 896  
 Transthyretin, 1478

Trauma, 951  
 Treadmill, 1729  
 Trigeminal reflex, 1673  
 Troponin, 921  
 Turns, 1181  
 Turns analysis, 954  
 Two-stage procedure, 618  
 Type 1 Purkinje cell antibodies, 943

## U

Ulnar nerve, 675, 999, 1089  
 Ulnar neuropathy, 1554  
 Ulnar palsy, 675  
 Unloading, 1280  
 Upper motor neuron disease, 946  
 Urethral innervation, 514

## V

Variability, 1779  
 Variant transthyretin, 1783

Vascular endothelial growth factor, 1390  
 Vasculitis, 1084  
 Vastus medialis, 184  
 Ventilatory failure, 577  
 Ventricular myosin heavy chain, 469  
 Vibration sensation, 367  
 Vicious cycle, 1382  
 Vinculin, 211  
 Vitamin B12 deficiency, 1341  
 Voluntary contraction, 439  
 Voluntary movement, 318  
 Voluntary single-fiber electromyography, 1081

## W

Walking-track, 1095  
 Western blot, 1317

## X

X-inactivation, 792  
 XII-VII anastomosis, 1013  
 X-linked inheritance, 932